SLABS

GENERAL CATALOGUE 2022

APAVISA

No limits to space.
No limits to design.

Index
Índice

Alphabetical

Borghini	140
Calacatta Lincoln Natural	206
Calacatta Lincoln Polished	206
Cassero	54
Elegance	146
Emotion	66
Equinox	96
Equinox Grey Natural	202
Fluid	10
Ice Jade	172
Instinto	80
Junoon	188
Mood	74
Ocean Blue	158
Onice	124
Orobico Red	164
Patagonia	108
Pietra Grey Natural & Polished	209
Pietra Grey	180
St. Vincent	184
St. Vincent Anthracite Natural	208
St. Vincent Anthracite Polished	208
Statuario	150
Statuario Extra White Bookmatch Natural	204
Statuario Extra White Bookmatch Polished	204
Super Black	212
Super Black Natural	211
Super White	211
Super White Natural	210
Super White Polished	211
Tattoo	40
Tattoo Oxidum Decor	200
Wild Forest	116
Zinc	22

Technical information

Technical information	212

Concepts
Conceptos



Metal
Metal

Zinc	22
Tattoo	40



Stone
Piedra

Pietra Grey	180
St. Vincent	184



Concrete
Cemento

Cassero	54
Emotion	66
Mood	74
Instinto	80
Equinox	96




Wood
Madera

Junoon	188



Marble
Mármol

Patagonia	108
Wild Forest	116
Onice	124
Borghini	140
Elegance	146
Statuario	150
Ocean Blue	158
Orobico Red	164
Ice Jade	172



Monocolor
Monocolor

Super White	211
Super Black	212



Resin
Resina

Fluid	10

Aplication
Aplicaciones



Linetop

Encimeras


Tattoo Oxidum Decor	200
Equinox Grey Natural	202
Statuario Extra White Bookmatch Natural	204
Statuario Extra White Bookmatch Polished	204
Calacatta Lincoln Natural	206
Calacatta Lincoln Polished	206
St. Vincent Anthracite Natural	208
St. Vincent Anthracite Polished	208
Pietra Grey Natural & Polished	209
Super White Natural	210
Super White Polished	211
Super Black Natural	211



Wall

Revestimiento

Tattoo Oxidum Graffiti Decor	50
Instinto White Autumn Decor	92
Instinto Taupe Rescato / Mosaico Brick	95
Equinox Anthracite Diamond Decor	104
Equinox Anthracite Stripes Decor	104
Statuario White Polished Prism Decor	152
Pietra Grey Polished Leaves Decor	186



Outdoor

Exterior

Zinc Green Solid 2 cm	36
Tattoo Black Solid 2cm 50x100	52
Emotion Grey Solid	72
Instinto Taupe Solid 2cm 50x100	95
Equinox Grey Solid 50x100	106
Orobico Red Solid	178
Junoon Beige Solid 50x100	196
Junoon Maple Solid 2 cm	197

slabs Linetop



Floor & Wall

Pavimento y revestimiento

Fluid	10
Zinc	22
Tattoo	40
Instinto	80
Equinox	96
Wild Forest	116
Borghini	140
Elegance	146
Statuario	150
Ocean Blue	158
Orobico Red	164
Ice Jade	172
Pietra Grey	180
St. Vincent	184
Junoon	188







Resin
Resina



Fluid Multicolor 20
6 mm.
120x260 / 120x120
7 mm.
90x90 / 60x60



Fluid Black 21
6 mm.
120x260 / 120x120
7 mm.
60x120 / 60x60

Metal
Metal



Zinc Green 36
6 mm.
120x260 / 120x120
7 mm.
60x120 / 60x60 / 30x60
20 mm.
50x100



Zinc Black 38
6 mm.
120x260 / 120x120
7 mm.
60x120 / 60x60 / 30x60



Zinc Cooper 39
6 mm.
120x260 / 120x120
7 mm.
60x120 / 60x60 / 30x60



Tattoo Oxidum Decor 50
6 mm.
120x260 / 60x260 / 120x120
7 mm.
90x90 / 45x90 / 30x60
12 mm.
162x324



Tattoo Black Decor 52
6 mm.
120x260 / 60x260 / 120x120
7 mm.
90x90 / 45x90 / 30x60
20 mm.
50x100



Tattoo White 53
6 mm.
120x260 / 60x260 / 120x120
7 mm.
90x90 / 45x90 / 30x60

Concrete
Cemento

Cassero White 62
6 mm.
120x300 / 120x120 / 60x150
7 mm.
60x120 / 45x90 / 60x60



Cassero Grey 63
6 mm.
120x300 / 120x120 / 60x150
7 mm.
60x120 / 45x90 / 60x60



Cassero Anthracite 64
6 mm.
120x300 / 120x120 / 60x150
7 mm.
60x120 / 45x90 / 60x60



Emotion 72
6 mm.
120x260 / 120x120
7 mm. **20mm.**
60x120 / 60x60 50x100
10 mm.
100x100 / 50x100 / 60x60 / 25x29



Mood 78
6 mm.
120x260 / 120x120
7 mm.
60x120 / 60x60
10 mm.
100x100 / 50x100 / 60x60 / 30x60 / 25x29

Instinto White 94
6 mm.
120x260 / 60x260 / 120x120
7 mm.
90x90 / 45x90



Instinto Taupe 95
6 mm.
120x260 / 60x260 / 120x120
7 mm.
90x90 / 45x90



Equinox Anthracite 104
6 mm.
120x260 / 60x260 / 120x120
7 mm.
60x60

Equinox White 105
6 mm.
120x260 / 60x260 / 120x120
7 mm.
60x60 / 30x60



Equinox Grey 106
6 mm.
120x260 / 60x260 / 120x120
7 mm. **12 mm.** **20 mm.**
162x324 50x100 60x120

Marble
Mármol



Patagonia Grey 114
6 mm.
120x300 / 120x120 / 60x150
7 mm.
100x100 / 50x100 / 60x60 / 45x120



Wild Fores Grey 105
6 mm.
120x260 / 60x260 / 120x120
7 mm.
60x120



Onice Green 136
6 mm.
120x300 / 60x150 / 60x120 / 120x120
7 mm.
90x90 / 45x120 / 60x60




Onice Salmón 137
6 mm.
120x300 / 60x150 / 60x120 / 120x120
7 mm.
90x90 / 45x120 / 60x60



Onice Ambar 138
7 mm.
90x90 / 60x60 / 45x120



Borghini White 144
6 mm.
120x260 / 60x260 / 120x120
7 mm.
60x120 / 60x60 / 45x120



Statuario Extra White 154
6 mm.
120x260 / 60x260 / 120x120
12 mm.
162x324



Elegance White 156
6 mm.
120x260




Ocean Blue 162
6 mm.
120x320 / 160x160 / 80x160
7 mm.
60x60



Orobico Red 178
6 mm.
120x260 / 120x120
7 mm.
60x120 / 60x60
20 mm.
50x100



Ice Jade Green 179
6 mm.
120x260 / 120x120
7 mm.
60x120




Calacatta Lincoln 206
12 mm.
162x324

Stone
Piedra



Pietra Grey 186
6 mm.
120x260 / 60x260 / 120x120
12 mm.
162x324



St. Vicent 187
6 mm.
120x260 / 60x260 / 120x120
12 mm.
162x324

Wood
Madera



Junoon Beige 196
6 mm.
120x260 / 30x260
20 mm.
50x100



Junoon Maple 197
6 mm.
120x260 / 30x260
20 mm.
50x100

Fluid
COLLECTION

Floor & walls



120x260
46.97” x 102.4”



120x120
46.97” x 46.97”

Polished **6** mm



90x90
35.22” x 35.22”




60x60
23.45” x 23.45”

Natural & Polished **7** mm



Multicolor Natural & Polished



Black Natural & Polished

Fluid Black Polished 120x120

Fluid Black Polished 120x260 & 120x120

p. 14 - 15

Fluid Multicolor Polished 120x120



Fluid Black Natural 90x90 & Fluid Multicolor Polished 120x260

Fluid Multicolor Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Fluid Multicolor Polished G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Fluid Multicolor Polished G-3467

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")
Fluid Multicolor Polished G-1442
Fluid Multicolor Natural G-1352

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Fluid Multicolor Polished G-1298


Natural | DIN R10 DIN 51130 | DCOF >0,42 ANSI A137.1 | PTV >24 BS-7976-2 | CLASE 1 UNE 41901 EX


STEPS Peldaños		Finish	30x260	30x130
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	546	17,07
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28

Fluid Black Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Fluid Black Polished G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Fluid Black Polished G-3467

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")
Fluid Black Polished G-1442
Fluid Black Natural G-1352

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Fluid Black Polished G-1298


Natural | DIN R10 DIN 51130 | DCOF >0,42 ANSI A137.1 | PTV >24 BS-7976-2 | CLASE 1 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	546	17,07
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28

Zinc
COLLECTION

Floor & walls



120x260
46.97” x 102.4”



120x120
46.97” x 46.97”

Natural **6** mm



60x120
23.45” x 46.97”



60x120
23.45” x 46.97”



45x120
17.57” x 46.97”



60x60
23.45” x 23.45”



30x60
11.71” x 23.45”

Natural & Skin **7** mm



50x100
19.59” x 39.19”

Outdoor
20 mm



25x29
9.84” x 11.42”

Natural, Decor & Silver
10 mm



Green Natural & Polished



Green Skin



Black Natural



Black Skin



Copper Natural



Copper Skin

Zinc Green Natural 120x260

Zinc Green Polished 60x120

SOLID
2 cm

Zinc Green Solid 50x100



Zinc Black Skin 60x120

Zinc Black Natural 120x120

p. 32 - 33



Zinc Cooper Skin 60x120 & Natural 120x120

Zinc Green Natural & Skin





120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Zinc Green Natural G-3413

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Zinc Green Natural G-3413

60x120 7 mm (59,55x119,3cm - 35.22"x35.22")
Zinc Green Natural G-1372
Zinc Green Pulido G-1410
Zinc Green Skin G-1372

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Zinc Green Natural G-1234
Zinc Green Pulido G-1274

30x60 7 mm (29,75x59,55 cm - 11.71"x23.45")
Zinc Green Natural G-1202


50x100 20 mm (49,75x99,55 cm - 19.59"x39.19")
Zinc Green Solid 2 cm G-9234



Hexagon 25x29 10 mm
Zinc Green Natural G-7230
Zinc Green Mixdecor G-7254



Mosaico 5x5
Zinc Green Mosaico 5x5 G-1598



Decor Ramp
Zinc Green Decor Ramp G-1942

Natural	DIN R10 (DIN 51130)		DCOF >0,42 (ANSI A137.1)	PTV >24 (BS-7976-2)	CLASE 1 (UNE 41901 EX)
Solid 2 cm	DIN R11 (DIN 51130)	DIN C (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 3 (UNE 41901 EX)


ACCESORIES Complementos		Finish	30x260	30x130	30x120	30x120 Ángulo	30x60	30x60 Ángulo	7,5x60
Listelo		Natural	-	-	-	-	-	-	G-89
Rodapié		Natural	-	-	-	-	-	-	G-91
Peldaño		Natural	G-2839	G-2651	G-501	G-515	G-163	G-179	-
Gradone		Natural	G-2875	G-2741	G-767	G-779	G-499	G-559	-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
50x100 (2cm)	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28
30x60	29,75x59,55 cm - 11.71"x23.45"	40	8	56,69	610,22	968	17,07
45x120	44,63x119,3 cm - 17.57"x46.97"	24	4	51,12	550,19	800	7,80


Zinc White & Green Matt & Crack

B-WALL


Zinc White Matt 45x120



Zinc Green Matt 45x120



Zinc White Crack 45x120



Zinc Green Crack 45x120



Zinc Green Gold Crack 45x120

45x120 7 mm (*) (44,63x119,3 cm - 17.57"x46.97")
Zinc White Matt G-7180
Zinc White Crack G-7208
Zinc Green Matt G-7180
Zinc Green Crack G-7208
Zinc Green Gold Crack G-7298

(*) Ceramic Wall tile. *Revestimiento pasta blanca*



Zinc Green Skin 60x120

Zinc Black Natural & Skin





120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Zinc Black Natural G-3413

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Zinc Black Natural G-3413


60x120 7 mm (59,55x119,3 cm - 35.22"x35.22")
Zinc Black Natural G-1372
Zinc Black Skin G-1372

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Zinc Black Natural G-1234

30x60 7 mm (29,75x59,55 cm - 11.71"x23.45")
Zinc Black Natural G-1202



Mosaico 5x5
Zinc Black Mosaico 5x5 G-1598



Decor Ramp
Zinc Black Decor Ramp G-1942

Natural

DIN R10 DIN 51130

DCOF >0,42 ANSI A137.1

PTV >24 BS-7976-2

CLASE 1 UNE 41901 EX

ACCESORIES Complementos		Finish	30x260	30x130	30x120	30x120 Ángulo	30x60	30x60 Ángulo	7,5x60
Listelo		Natural	-	-	-	-	-	-	G-89
Rodapié		Natural	-	-	-	-	-	-	G-91
Peldaño		Natural	G-2839	G-2651	G-501	G-515	G-163	G-179	-
Gradone		Natural	G-2875	G-2741	G-767	G-779	G-499	G-559	-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28
30x60	29,75x59,55 cm - 11.71"x23.45"	40	8	56,69	610,22	968	17,07

Zinc Copper Natural & Skin





120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Zinc Copper Natural G-3413

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Zinc Copper Natural G-3413

60x120 7 mm (59,55x119,3 cm - 35.22"x35.22")
Zinc Copper Natural G-1372
Zinc Copper Skin G-1372

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Zinc Copper Natural G-1234

30x60 7 mm (29,75x59,55 cm - 11.71"x23.45")
Zinc Copper Natural G-1202



Mosaico 5x5
Zinc Copper Mosaico 5x5 G-1598



Decor Ramp
Zinc Copper Decor Ramp G-1942

Natural

DIN R10 DIN 51130

DCOF >0,42 ANSI A137.1

PTV >24 BS-7976-2

CLASE 1 UNE 41901 EX

ACCESORIES Complementos		Finish	30x260	30x130	30x120	30x120 Ángulo	30x60	30x60 Ángulo	7,5x60
Listelo		Natural	-	-	-	-	-	-	G-89
Rodapié		Natural	-	-	-	-	-	-	G-91
Peldaño		Natural	G-2839	G-2651	G-501	G-515	G-163	G-179	-
Gradone		Natural	G-2875	G-2741	G-767	G-779	G-499	G-559	-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28
30x60	29,75x59,55 cm - 11.71"x23.45"	40	8	56,69	610,22	968	17,07

Tattoo
COLLECTION

Linetop

162x324
63.8” x 127.6”

Decor **12** mm

Floor & walls

120x260
46.97” x 102.4”

60x260
23.45” x 102.4”

120x120
46.97” x 46.97”

Decor & Satin **6** mm

Floor & walls

90x90
35.22” x 35.22”

45x90
17.57” x 35.22”

30x60
11.71” x 23.45”

Decor & Natural **7** mm

Non slip

30x60
11.71” x 23.45”

Non-slip
7 mm

2 cm

50x100
19.59” x 39.19”

Outdoor
20 mm



Oxidum Decor



White Natural & Satin



Black Decor



Tattoo Oxidum Decor 120x260 & 120x120

Tattoo Black Decor 120x120

SOLID
2 cm

Tattoo Black Solid 50x100

p. 46 - 47



Tattoo White Natural 120x260 & Equinox Grey Natural 120x120

Tattoo Oxidum Decor





162x324 12 mm (162x324 cm - 63.8”x127.6”)

Tattoo Oxidum Decor G-3574

120x260 7 mm (119,3x260 cm - 46.97”x102.4”)

Tattoo Oxidum Decor G-3413

60x260 7 mm (59,55x260 cm - 23.45”x102.4”)

Tattoo Oxidum Decor G-3413

Tattoo Oxidum Graffiti Decor G-2928

120x120 7 mm (119,3x119,3 cm - 46.97”x46.97”)

Tattoo Oxidum Decor G-3413

90x90 7 mm (89,46x89,46 cm - 35.22”x35.22”)

Tattoo Oxidum Decor G-1372

45x90 7 mm (44.63x89,46 cm - 17.57”x35.22”)

Tattoo Oxidum Decor G-1250

30x60 7 mm (29,75x59,55 cm - 11.71”x23.45”)

Tattoo Oxidum Decor G-1202

Decor

DIN R10 — DIN 51130

DCOF >0,42 — ANSI A137.1

PTV >36 — BS-7976-2

CLASE 1 — UNE 41901 EX

ACCESORIES Complementos		Finish	30x260	30x130	45x90	45x90 Ángulo	30x60	30x60 Ángulo	7,5x90	7,5x60
Listelo		Satin	-	-	-	-	-	-	G-109	G-89
Rodapié		Satin	-	-	-	-	-	-	G-125	G-91
Peldaño		Natural	G-2839	G-2651	-	-	-	-		-
		Satin	-	-	G-303	G-315	G-163	G-179		-
Gradone		Natural	G-2875	G-2741	-	-	-	-		-
		Satin	-	-	G-603	G-623	G-499	G-559		-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
162x324	162x324 cm - 63,8”x127,6”	16	1	83,98	903,97	2860	32,388
120x260	119,3x260 cm - 46.97”x102.4”	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97”x46.97”	32	1	45,54	490,23	793	16,35
90x90	89,46x89,46 cm - 35.22”x35.22”	20	2	32,01	344,58	546	17,07
45x90	44,63x89,46 cm - 17.57”x35.22”	27	5	53,90	580,18	950	17,62
30x60	29,75x59,55 cm - 11.71”x23.45”	40	8	56,69	610,22	968	17,07

Tattoo Oxidum Graffiti Decor 60x260 & Tattoo White Natural120x120

Tattoo Black Decor







120x260 7 mm (119,3x260 cm - 46.97"x102.4")
Tattoo Black Decor G-3413

60x260 7 mm (59,55x260 cm - 23.45"x102.4")
Tattoo Black Decor G-3413

120x120 7 mm (119,3x119,3 cm - 46.97"x46.97")
Tattoo Black Decor G-3413

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")
Tattoo Black Decor G-1372

45x90 7 mm (44.63x89,46 cm - 17.57"x35.22")
Tattoo Black Decor G-1250

30x60 7 mm (29,75x59,55 cm - 11.71"x23.45")
Tattoo Black Decor G-1202
Tattoo Black Non-slip G-1232

50x100 20 mm (49,75x99,55 cm - 19.59"x39.19")
Tattoo Black Solid 2 cm G-9234

Decor	DIN R10 DIN 51130		DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 1 UNE 41901 EX				
Non-slip	DIN R11 DIN 51130	DIN C DIN 51097	DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 3 UNE 41901 EX				
Solid 2 cm	DIN R11 DIN 51130	DIN C DIN 51097	DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 3 UNE 41901 EX				

ACCESORIES Complementos		Finish	30x260	30x130	45x90	45x90 Ángulo	30x60	30x60 Ángulo	7,5x90	7,5x60
Listelo		Satin	-	-	-	-	-	-	G-109	G-89
Rodapié		Satin	-	-	-	-	-	-	G-125	G-91
Peldaño		Natural	G-2839	G-2651	-	-	-	-		-
		Satin	-	-	G-303	G-315	G-163	G-179		-
Gradone		Natural	G-2875	G-2741	-	-	-	-		-
		Satin	-	-	G-603	G-623	G-499	G-559		-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
50x100 (2cm)	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	546	17,07
45x90	44,63x89,46 cm - 17.57"x35.22"	27	5	53,90	580,18	950	17,62
30x60	29,75x59,55 cm - 11.71"x23.45"	40	8	56,69	610,22	968	17,07

Tattoo White Natural & Satin







120x260 7 mm (119,3x260 cm - 46.97"x102.4")
Tattoo White Natural G-3365

60x260 7 mm (59,55x260 cm - 23.45"x102.4")
Tattoo White Natural G-3365

120x120 7 mm (119,3x119,3 cm - 46.97"x46.97")
Tattoo White Natural G-3365

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")
Tattoo White Satin G-1372

45x90 7 mm (44.63x89,46 cm - 17.57"x35.22")
Tattoo White Satin G-1250


30x60 7 mm (29,75x59,55 cm - 11.71"x23.45")
Tattoo White Satin G-1202
Tattoo White Non-slip G-1232

Natural	DIN R10 DIN 51130	DIN B DIN 51097	DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 1 UNE 41901 EX				
Non-slip	DIN R11 DIN 51130	DIN C DIN 51097	DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 3 UNE 41901 EX				
Satin	DIN R10 DIN 51130		DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 1 UNE 41901 EX				

ACCESORIES Complementos		Finish	30x260	30x130	45x90	45x90 Ángulo	30x60	30x60 Ángulo	7,5x90	7,5x60
Listelo		Satin	-	-	-	-	-	-	G-109	G-89
Rodapié		Satin	-	-	-	-	-	-	G-125	G-91
Peldaño		Natural	G-2839	G-2651	-	-	-	-		-
		Satin	-	-	G-303	G-315	G-163	G-179		-
Gradone		Natural	G-2875	G-2741	-	-	-	-		-
		Satin	-	-	G-603	G-623	G-499	G-559		-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	546	17,07
45x90	44,63x89,46 cm - 17.57"x35.22"	27	5	53,90	580,18	950	17,62
30x60	29,75x59,55 cm - 11.71"x23.45"	40	8	56,69	610,22	968	17,07

Cassero
COLLECTION



White




Grey



Anthracite

Floor & walls



120x300
46.97” x 118.11”

120x120
46.97” x 46.97”

60x150
23.45” x 58.88”

Natural **6** mm

60x120
23.45” x 46.97”

45x90
17.57” x 35.22”

60x60
23.45” x 23.45”

Natural **7** mm




Cassero Grey & White Natural 120x300 & Cassero Anthracite Natural 120x120

Cassero Grey Natural 60x120 & Cassero White Natural 60x120

Cassero Grey Natural 120x300

p. 60 - 61

Cassero White Natural







120x300 6 mm (119,3x300 cm - 46.97"x118.11")
Cassero White Natural G-3381

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Cassero White Natural G-3381

60x150 6 mm (59,55x150 cm - 23.44"x59.05")
Cassero White Natural G-3381

60x120 7 mm (59,55x119,3 cm - 23.44"x46.97")
Cassero White Natural G-1304

45x90 7 mm (44,63x89,46 cm - 17.57"x35.22")
Cassero White Natural G-1208

60x60 7 mm (59,55x59,55 cm - 23.44"x23.44")
Cassero White Natural G-1208

Natural | DIN R10 (DIN 51130) | DIN B (DIN 51097) | DCOF >0,42 (ANSI A137.1) | PTV >24 (BS-7975) | CLASE 1 (UNE 41901 EX)

STEPS Peldaños		Finish	30x300	30x150
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G-2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x300 6mm	119,3x300 cm - 46.97"x118.11"	1	17	61,20	658,76	1121	16,35
120x120 6mm	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x150 6mm	59,55x150 cm - 23.45"x59.06"	30	2	53,59	576,89	874	16,35
60x120 7mm	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	780	17,51
45x90 7mm	44,6389,46 cm - 17.57"x35.22"	27	5	53,90	580,18	980	17,62
60x60 7mm	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	950	17,28

Cassero Grey Natural







120x300 6 mm (119,3x300 cm - 46.97"x118.11")
Cassero Grey Natural G-3381

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Cassero Grey Natural G-3381

60x150 6 mm (59,55x150 cm - 23.44"x59.05")
Cassero Grey Natural G-3381

60x120 7 mm (59,55x119,3 cm - 23.44"x46.97")
Cassero Grey Natural G-1304

45x90 7 mm (44,63x89,46 cm - 17.57"x35.22")
Cassero Grey Natural G-1208

60x60 7 mm (59,55x59,55 cm - 23.44"x23.44")
Cassero Grey Natural G-1208

Natural | DIN R10 (DIN 51130) | DIN B (DIN 51097) | DCOF >0,42 (ANSI A137.1) | PTV >24 (BS-7975) | CLASE 1 (UNE 41901 EX)

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G-2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x300 6mm	119,3x300 cm - 46.97"x118.11"	1	17	71,58	770,49	1290	16,35
120x120 6mm	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x150 6mm	59,55x150 cm - 23.45"x59.06"	30	2	53,59	576,89	874	16,35
60x120 7mm	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
45x90 7mm	44,6389,46 cm - 17.57"x35.22"	27	5	53,90	580,18	950	17,62
60x60 7mm	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28

Cassero Anthracite Natural







120x300 6 mm (119,3x300 cm - 46.97"x118.11")
Cassero Anthracite Natural G-3381

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Cassero Anthracite Natural G-3381

60x150 6 mm (59,55x150 cm - 23.44"x59.05")
Cassero Anthracite Natural G-3381

60x120 7 mm (59,55x119,3 cm - 23.44"x46.97")
Cassero Anthracite Natural G-1304

45x90 7 mm (44,63x89,46 cm - 17.57"x35.22")
Cassero Anthracite Natural G-1208

60x60 7 mm (59,55x59,55 cm - 23.44"x23.44")
Cassero Anthracite Natural G-1208

Natural	DIN R10 DIN 51130	DIN B DIN 51097	DCOF >0,42 ANSI A137.1	PTV >24 BS-7975	CLASE 1 UNE 41901 EX


STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G-2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x300 6mm	119,3x300 cm - 46.97"x118.11"	1	17	71,58	770,49	1290	16,35
120x120 6mm	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x150 6mm	59,55x150 cm - 23.45"x59.06"	30	2	53,59	576,89	874	16,35
60x120 7mm	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
45x90 7mm	44,6389,46 cm - 17.57"x35.22"	27	5	53,90	580,18	950	17,62
60x60 7mm	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28



Emotion
COLLECTION

Floor & walls



120x260
46.97” x 102.4”



120x120
46.97” x 46.97”

Natural **6** mm



60x120
23.45” x 46.97”



60x60
23.45” x 23.45”

Polished **7** mm



100x100
39.37” x 39.37”



50x100
19.59” x 39.37”



60x60
23.45” x 23.45”



25x29
9.84” x 11.42”

Natural **10** mm



50x100
19.59” x 39.19”

Outdoor **20** mm



Emotion Grey

Cassero Grey & White Natural 120x300, Emotion Grey Natural 120x260 & Emotion Grey Solid 2cm 50x100



Only our imagination can limit our possibilities. Covering spaces or furniture is only a matter about our needs.

Solámente nuestra imaginación puede poner límites nuestras posibilidades. Recubrir espacios o mobiliario solo es una cuestión de nuestras necesidades.

Cassero Grey Natural 120x300 & Emotion Grey Naural

Emotion Grey Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Emotion Grey Natural G-3365

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Emotion Grey Natural G-3365

60x120 7 mm (59,55x119,3 cm - 23.44"x46.97")
Emotion Grey Polished G-1410

100x100 10 mm (99,55x99,55 cm - 39.37"x39.37")
Emotion Grey Natural G-7268

50x100 10 mm (49,75x99,55 cm - 19.59"x39.37")
Emotion Grey Natural G-7170

50x100 20 mm (49,75x99,55 cm - 19.59"x39.37")
Emotion Grey Solid G-9234

60x60 7-10 mm (59,55x59,55 cm - 23.62")
Emotion Grey Natural 10mm G-7170
Emotion Grey Polished 7mm G-1274

25x29 10 mm (25x29 cm - 9.84"x11.42")
Emotion Grey Natural G-7230

Natural | DIN R10 (DIN 51130) | DCOF >0,42 (ANSI A137.1) | PTV >24 (BS-7976-2) | CLASE 1 (UNE 41901 EX)


STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G-2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260 6mm	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120 6mm	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120 7mm	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	780	17,51
100x100 10mm	99,55x99,55 cm - 39.73"x39.73"	40	1	39,64	426,69	991	23,749
50x100 20mm	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64
50x100 10mm	49,75x99,55 cm - 19.59"x39.19"	27	3	40,12	431,81	941	22,754
60x60 7mm	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28
60x60 10mm	59,55x59,55 cm - 23.45"x23.45"	30	4	42,55	458,06	972	22,134
25x29 10mm	25x29 cm - 9.84"x11.42"	48	17	44,88	483,09	1060	23,109



Mood
COLLECTION

Floor & walls



120x260
46.97” x 102.4”



120x120
46.97” x 46.97”

Natural **6** mm



60x120
23.45” x 46.97”



60x60
23.45” x 23.45”

Polished **7** mm



100x100
39.37” x 39.37”



50x100
19.59” x 39.37”



60x60
23.45” x 23.45”



30x60
11.13” x 23.45”



25x29
9.84” x 11.42”

Natural **10** mm



25x29
9.84” x 11.42”

Decor **10** mm



Mood Green



Mood Green Natural 120x260 & Cassero Grey Natural 120x300

Mood Green Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Mood Green Natural G-3365

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Mood Green Natural G-3365

60x120 7 mm (59,55x119,3 cm - 23.44"x46.97")
Mood Green Polished G-1410

100x100 10 mm (99,55x99,55 cm - 39.37"x39.37")
Mood Green Natural G-7268

50x100 10 mm (49,75x99,55 cm - 19.59"x39.37")
Mood Green Natural G-7162

60x60 7-10 mm (59,55x59,55 cm - 23.62"x23.62")
Mood Green Natural 10mm G-7146
Mood Green Polished 7mm G-1274

30x60 10 mm (29,75x59,55 cm - 11.13"x23.62")
Mood Green Natural G-7132

25x29 10 mm (25x29 cm - 9.84"x9.84")
Mood Green Natural G-7230
Mood Green Decor G-7254


Natural | DIN R10 DIN 51130 | DCOF >0,42 ANSI A137.1 | PTV >24 BS-7975 | CLASE 1 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G-2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260 6mm	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120 6mm	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120 7mm	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	780	17,51
100x100 10mm	99,55x99,55 cm - 39.73"x39.73"	40	1	39,64	426,69	991	23,749
50x100 10mm	49,74x99,55 cm - 19.59"x39.19"	27	3	40,12	431,81	941	22,754
60x60 7mm	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	950	17,28
60x60 10mm	59,55x59,55 cm - 23.45"x23.45"	30	4	42,55	458,06	972	22,134
30x60 10mm	29,75x89,46 cm - 17.57"x35.22"	40	7	49,73	533,95	1150	22,53
25x29 10mm	25x29 cm - 9.84"x11.42"	48	17	42,55	458,06	972	22,134

Instinto
COLLECTION

Floor & walls



120x260
46.97” x 102.4”

120x120
46.97” x 46.97”

Natural **6** mm



90x90
35.22” x 35.22”



45x90
17.57” x 35.22”

Natural, Lappato & Rescato **7** mm



Taupe Natural & Lappato



Taupe Rescato



White Natural & Lappato



White Rescato

Instinto Taupe Natural 120X120

p. 82 - 83

Instinto Taupe Rescato 45X90, Instinto White Natural 120X260 & Instinto White Natural 90X90

p. 84 - 85

Instinto White Lappato 90X90

Instinto White Natural 120x120

p. 88 - 89

Instinto Taupe Natural 120X120, Instinto Taupe Natural Gradone & Instinto White Natural

p. 90 - 91

Autumn Decor





*** Instinto White Autumn Decor Bookmatch 120x260 block A & block B are not sold separately.**
* Los bloques A y B de Instinto White Autumn Decor Bookmatch 120x260 no se venden por separado.

120x260 6 mm	(119,3x260 cm - 46.97"x102.4")
Instinto White Autumn Decor A+B	G-2961



Instinto White Autumn Decor Bookmatch 120x260 & Instinto Taupe Natural 120X120

p. 92 - 93

Instinto White Natural, Lappato & Rescato



120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Instinto White Natural	G-3365
Instinto White Autumn Decor A+B	G-2961

60x260 6 mm (59,55x260 cm - 23.45"x102.4")

Instinto White Natural	G-3365

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")

Instinto White Natural	G-3365

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")

Instinto White Natural	G-1298
Instinto White Lappato	G-1330

45x90 7 mm (44.63x89,46 cm - 17.57"x35.22")

Instinto White Natural	G-1202
Instinto White Lappato	G-1234
Instinto White Rescato	G-1234

Mosaico Brick

Instinto White Natural	G-1942



Mosaico Flake

Instinto White Lappato Flake	G-1708

Natural — DIN R10 (DIN 51130) — DCOF >0,42 (ANSI A137.1) — PTV >36 (BS-7976-2) — CLASE 1 (UNE 41901 EX)

Lappato — DIN R10 (DIN 51130) — DCOF >0,42 (ANSI A137.1) — PTV >36 (BS-7976-2) — CLASE 2 (UNE 41901 EX)

Instinto Taupe Natural, Lappato & Rescato





120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Instinto Taupe Natural	G-3365

60x260 6 mm (59,55x260 cm - 23.45"x102.4")

Instinto Taupe Natural	G-3365

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")

Instinto Taupe Natural	G-3365

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")

Instinto Taupe Natural	G-1298

45x90 7 mm (44.63x89,46 cm - 17.57"x35.22")

Instinto Taupe Natural	G-1202
Instinto Taupe Lappato	G-1234
Instinto Taupe Rescato	G-1234



Mosaico Brick

Instinto Taupe Natural	G-1942



Mosaico Flake

Instinto Taupe Lappato Flake	G-1708

Natural — DIN R10 (DIN 51130) — DCOF >0,42 (ANSI A137.1) — PTV >36 (BS-7976-2) — CLASE 1 (UNE 41901 EX)

Lappato — DIN R10 (DIN 51130) — DCOF >0,42 (ANSI A137.1) — PTV >36 (BS-7976-2) — CLASE 2 (UNE 41901 EX)

Solid 2 cm — DIN R11 (DIN 51130) — DIN C (DIN 51097) — DCOF >0,42 (ANSI A137.1) — PTV >36 (BS-7976-2) — CLASE 3 (UNE 41901 EX)

ACCESORIES Complementos		Finish	30x260	30x130	45x90	45x90 Ángulo	7,5x90
Listelo		Natural, Lappato & Rescato	-	-	-	-	G-109
Rodapié		Natural, Lappato & Rescato	-	-	-	-	G-125
Peldaño		Natural	G-2839	G-2651	G-281	G-291	-
		Lappato & Rescato	-	-	G-315	G-323	-
Gradone		Natural	G-2875	G-2741	G-583	G-603	-
		Lappato & Rescato	-	-	G-603	G-623	-


PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	546	17,07
45x90	44,63x89,46 cm - 17.57"x35.22"	27	5	53,90	580,18	950	17,62

ACCESORIES Complementos		Finish	30x260	30x130	45x90	45x90 Ángulo	7,5x90
Listelo		Natural, Lappato & Rescato	-	-	-	-	G-109
Rodapié		Natural, Lappato & Rescato	-	-	-	-	G-125
Peldaño		Natural	G-2839	G-2651	G-281	G-291	-
		Lappato & Rescato	-	-	G-315	G-323	-
Gradone		Natural	G-2875	G-2741	G-583	G-603	-
		Lappato & Rescato	-	-	G-603	G-623	-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	546	17,07
45x90	44,63x89,46 cm - 17.57"x35.22"	27	5	53,90	580,18	950	17,62

Equinox
COLLECTION


Linetop



162x324
63.8” x 127.6”

Natural **12** mm

Floor & walls



120x260
46.97” x 102.4”

60x260
23.45” x 102.4”

120x120
46.97” x 46.97”

Natural **6** mm



Grey Natural & Satin



White Natural & Satin

Floor & walls



60x120
23.45” x 46.97”



60x60
23.45” x 23.45”



30x60
11.71” x 23.45”

Satin **7** mm



50x100
19.59” x 39.19”

Outdoor
20 mm



Anthracite Natural & Satin

Equinox Anthracite & Grey Natural 120x260, Equinox White & Grey Natural 120x120

Equinox White Natural 120x260 & 120x120

p. 100 - 101



Stripes Decor

60x260 6 mm

(59,55x260 cm - 23.45”x102.4”)
Equinox Anthracite Stripes Decor
G-2928



Equinox Anthracite Stripes Decor 60x260 & Equinox Anthracite Natural 120x120



Diamond Decor

60x260 6 mm

(59,55x260 cm - 23.45”x102.4”)
Equinox Anthracite Diamond Decor
G-2928



Equinox Anthracite Diamond Decor 60x260 & Equinox Grey Natural 120x120

Equinox Anthracite Natural & Satin







120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Equinox Anthracite Natural G-3381

60x260 6 mm (59,55x260 cm - 23.45"x102.4")

Equinox Anthracite Natural G-3381
Equinox Anthracite Diamond Decor G-2928
Equinox Anthracite Stripes Decor G-2928

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")

Equinox Anthracite Natural G-3381

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")

Equinox Anthracite Satin G-1202

Natural	DIN R10 (DIN 51130)	DIN B (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 1 (UNE 41901 EX)
Satin	DIN R10 (DIN 51130)		DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 1 (UNE 41901 EX)
Non-slip	DIN R11 (DIN 51130)	DIN C (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 3 (UNE 41901 EX)

ACCESORIES Complementos		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
		Satin	-	-
Gradone		Natural	G-2875	G-2741
		Satin	-	-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28

Equinox White Natural & Satin







120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Equinox White Natural G-3381

60x260 6 mm (59,55x260 cm - 23.45"x102.4")

Equinox White Natural G-3381

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")

Equinox White Natural G-3381


60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")

Equinox White Satin G-1180

30x60 7 mm (29,75x59,55 cm - 11.71"x23.45")

Equinox White Satin G-1162

Natural	DIN R10 (DIN 51130)	DIN B (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 1 (UNE 41901 EX)
Satin	DIN R10 (DIN 51130)		DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 1 (UNE 41901 EX)

ACCESORIES Complementos		Finish	30x260	30x130	30x60	30x60 Ángulo	7,5x60
Listelo		Satin	-	-	-	-	G-87
Rodapié		Satin	-	-	-	-	G-93
Peldaño		Natural	G-2839	G-2651	-	-	-
		Satin	-	-	G-161	G-171	-
Gradone		Natural	G-2875	G-2741	-	-	-
		Satin	-	-	G-499	G-559	-

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28
30x60	29,75x59,55 cm - 11.71"x23.45"	40	8	56,69	610,22	968	17,07

Equinox Grey Natural & Satin







162x324 12 mm (162x324 cm - 63.8"x127.6")
Equinox Grey Natural G-3520

120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Equinox Grey Natural G-3381

60x260 6 mm (59,55x260 cm - 23.45"x102.4")
Equinox Grey Natural G-3381

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Equinox Grey Natural G-3381

60x120 7 mm (59,55x119,3 cm - 35.22"x35.22")
Equinox Grey Satin G-1282

50x100 20 mm (49,75x99,55 cm - 19.59"x39.19")
Equinox Grey Solid 2 cm G-9234

Natural	DIN R10 (DIN 51130)	DIN B (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 1 (UNE 41901 EX)	
Satin	DIN R10 (DIN 51130)		DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 1 (UNE 41901 EX)	
Non-slip	DIN R11 (DIN 51130)	DIN C (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 3 (UNE 41901 EX)	
Solid 2 cm	DIN R11 (DIN 51130)	DIN C (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 3 (UNE 41901 EX)	


ACCESORIES Complementos		Finish	30x260	30x130	30x120	30x120 Ángulo
Peldaño		Natural	G-2839	G-2651	-	-
		Satin	-	-	G-315	G-333
Gradone		Natural	G-2875	G-2741	-	-
		Satin	-	-	G-693	G-749

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
162x324	162x324 cm - 63,8"x127,6"	16	1	83,98	903,97	2860	170
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
60x260	59,55x260 cm - 23.44"x102.4"	34	1	52,64	566,64	961	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
50x100 2cm	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64

Equinox Grey Natural 120x120

Patagonia
COLLECTION

Floor & walls




120x300
46.97” x 118.11”

120x120
46.97” x 46.97”

60x150
23.45” x 58.88”

Polished **6** mm




45x120
17.57” x 46.97”

50x100
19.59”x39.19”

60x60
23.45” x 23.45”

Natural & Polished **7** mm



Patagonia Grey

Patagonia Grey Polished 120x300 & Onice Salmon Natural 120x300

p. 110 - 111



Patagonia Grey Polished 120x300 & Onice Salmon Natural 120x300

Patagonia Grey Polished







120x300 6 mm (119,3x300 cm - 46.97"x118.11")
Patagonia Grey Polished G-3459

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Patagonia Grey Polished G-3459

100x100 7 mm (99,55x99,55 cm - 39.37"x39.37")
Patagonia Grey Polished G-1410

60x150 6 mm (59,55x150 cm - 23.44"x59.05")
Patagonia Grey Polished G-3459

50x100 7 mm (49,75x99,55 cm - 19.59"x39.37")
Patagonia Grey Polished G-1274

60x60 7 mm (59,55x59,55 cm - 23.44"x23.44")
Patagonia Grey Polished G-1274

B-WALL

45x120 7 mm (44,63x119,3 cm - 17.57"x46.97")
Patagonia Grey Glossy G-7180

Natural

DIN R10 DIN 51130

PTV >24 BS-7975


CLASE 1 UNE 41901 EX

STEPS Peldaños		Finish	30x300	30x150
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x300 6mm	119,3x300 cm - 46.97"x118.11"	1	17	61,20	658,76	1121	16,35
120x120 6mm	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
100x100 7mm	99,55x99,55 cm - 39.73"x39.73"	24	2	47,57	512,03	822	16,35
60x150 6mm	59,55x150 cm - 23.45"x59.06"	20	2	35,73	384,598	623	16,35
50x100 7mm	49,74x99,55 cm - 19.59"x39.19"	27	4	53,49	575,75	917	16,56
60x60 7mm	59,55x59,55 cm - 23.45"x23.45"	30	5	53,99	572,56	950	17,28
45x120 7mm	44,63x119,3 cm - 17.57"x46.97"	24	4	51,12	550,19	800	7,80

Wild Forest
C O L L E C T I O N

Floor & walls



120x260
46.97” x 102.4”

60x260
23.45” x 102.4”

120x120
46.97” x 46.97”

Natural & Polished **6** mm



60x120
23.45” x 46.97”

Polished **7** mm





Grey Natural & Polished

Wild Forest Grey Polished A+B+C 120X260 & Wild Forest Grey Polished Mix 120X120

Wild Forest Grey Polished Mix 120x120 & Borghini White Polished 120X260

p. 120 - 121

Wild Forest Grey Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Wild Forest Grey Polished Mix	G-3459
Wild Forest Grey Natural Mix	G-3397
Wild Forest Grey Polished A + B + C	G-3495

60x260 6 mm (59,55x260 cm - 23.45"x102.4")

Wild Forest Grey Polished Mix	G-3459
Wild Forest Grey Natural Mix	G-3397

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")

Wild Forest Grey Polished Mix	G-3459
Wild Forest Grey Natural Mix	G-3397

60x120 7 mm (59,55x119,3 cm - 35.22"x35.22")

Wild Forest Grey Polished	G-1442

Natural

DIN R10 DIN 51130

DCOF >0,42 ANSI A137.1

PTV >24 BS-7976-2

CLASE 1 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
		Polished	G-2849	G-2677
Gradone		Natural	G2875	G-2741
		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59




Wild Forest Decor Polished 60x60

p. 122 - 123


Onice
COLLECTION

Floor & walls

NEW SIZE



120x300
46.97” x 118.11”



120x120
46.97” x 46.97”

NEW SIZE



60x150
23.45” x 58.88”



60x120
23.45” x 46.97”

Polished **6** mm

B-WALL



45x120
17.57” x 46.97”



90x90
35.22”x35.22”




60x60
23.45” x 23.45”

Natural & Polished **7** mm



Ambar Polished



Green Polished



Salmon Natural & Polished

Onice Salmon Polished 120x300

p. 126 - 127

Onice Salmon Polished 120x300 & Onice Salmon Natural 60x60

walls: Onice Salmon and Green Polished 120x300
floor: Cassero Grey Natural 120x300



Onice Green Polished 90x90
Onice Green Glossy 45x120
Onice Green Boiserie Glossy 45x120

p. 132 - 133



shelves and coffee table: Onice Ambar Polished
floor and walls: Cassero Grey Natural 120x300



Onice Salmon Polished 120x300

Onice Green Polished







120x300 6 mm (119,3x300 cm - 46.97"x118.11")
Onice Green Polished G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Onice Green Polished G-3467

60x150 6 mm (59,55x150 cm - 23.62"x58.88")
Onice Green Polished G-3467

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")
Onice Green Polished G-1410

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Onice Green Polished G-1274

B-WALL

45x120 7 mm (44,63x119,3 cm - 17.57"x46.97")
Onice Green Glossy G-7180
Onice Green Boiserie Glossy G-7208



PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x300	119,3x300 cm - 46.97"x118.11"	1	17	71,58	770,49	1290	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	855	16,35
60x150	59,55x150 cm - 23.44"x59.06"	30	2	53,59	576,89	874	16,35
60x120	59,55x119,3 cm - 23.44"x46.97"	30	2	42,63	458,83	780	16,35
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	585	17,07
60x60	59,55x59,55 cm - 23.44"x23.44"	30	5	53,19	572,57	950	17,28
45x120 Relief/Relieve	44,63x119,3 cm - 17.57"x46.97"	24	3	38,34	412,64	613	7,80
45x120	44,63x119,3 cm - 17.57"x46.97"	24	4	51,12	550,19	800	7,80

Onice Salmón Natural & Polished







120x300 6 mm (119,3x300 cm - 46.97"x118.11")
Onice Salmón Polished G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Onice Salmón Polished G-3467

60x150 6 mm (59,55x150 cm - 23.62"x58.88")
Onice Salmón Polished G-3467

90x90 7 mm (89,46x89,46 cm - 35.22"x35.22")
Onice Salmón Polished G-1410

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Onice Salmón Natural G-1186
Onice Salmón Polished G-1274

B-WALL

45x120 7 mm (44,63x119,3 cm - 17.57"x46.97")
Onice Salmón Glossy G-7180
Onice Salmón Boiserie Glossy G-7208



Natural

DIN R10 DIN 51130

DCOF >0,42 ANSI A137.1

PTV >24 BS-7976-2

CLASE 1 UNE 41901 EX

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x300	119,3x300 cm - 46.97"x118.11"	1	17	71,58	770,49	1290	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	855	16,35
60x150	59,55x150 cm - 23.44"x59.06"	30	2	53,59	576,89	874	16,35
60x120	59,55x119,3 cm - 23.44"x46.97"	30	2	42,63	458,83	780	16,35
90x90	89,46x89,46 cm - 35.22"x35.22"	20	2	32,01	344,58	585	17,07
60x60	59,55x59,55 cm - 23.44"x23.44"	30	5	53,19	572,57	950	17,28
45x120 Relief/Relieve	44,63x119,3 cm - 17.57"x46.97"	24	3	38,34	412,64	613	7,80
45x120	44,63x119,3 cm - 17.57"x46.97"	24	4	51,12	550,19	800	7,80

Onice Ambar Polished



90x90 7 mm (89,46x89,46 cm - 35.22”x35.22”)

Onice Ambar Polished G-1410

60x60 7 mm (59,55x59,55 cm - 23.62”x23.62”)

Onice Ambar Polished G-1274

B-WALL

45x120 7 mm (44,63x119,3 cm - 17.57”x46.97”)

Onice Ambar Glossy G-7180

Onice Ambar Boiserie Glossy G-7208



Onice Ambar Decor Polished



90x90 7 mm (89,46x89,46 cm - 35.22”x35.22”)

Onice Ambar Decor Polished G-1410

60x60 7 mm (59,55x59,55 cm - 23.62”x23.62”)

Onice Ambar Decor Polished G-1456

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
90x90	89,46x89,46 cm - 35.22”x35.22”	20	2	32,01	344,58	585	17,07
60x60	59,55x59,55 cm - 23.44”x23.44”	30	5	53,19	572,57	950	17,28
45x120 Relief/Relieve	44,63x119,3 cm - 17.57”x46.97”	24	3	38,34	412,64	613	7,80
45x120	44,63x119,3 cm - 17.57”x46.97”	24	4	51,12	550,19	800	7,80

Onice Gold, Silver & Bronze Boiserie Glossy **B-WALL**



Onice Gold Boiserie Glossy 45x120



Onice Silver Boiserie Glossy 45x120



Onice Bronze Boiserie Glossy 45x120

45x120 7 mm (*) (44,63x119,3 cm - 17.57”x46.97”)

Onice Gold Boiserie Glossy G-7844

Onice Bronze Boiserie Glossy G-7884

Onice Silver Boiserie Glossy G-7844


(*) Ceramic Wall tile. *Revestimiento pasta blanca*



Onice Ambar Polished 90x90

Borghini
COLLECTION

Floor & walls



120x260
46.97” x 102.4”



120x120
46.97” x 46.97”

Polished **6** mm



60x120
23.45” x 46.97”




45x120
17.57” x 46.97”



60x60
23.45” x 23.45”

Polished **7** mm



White Polished & Decor

Borghini White Polished 120x120

p. 142 - 143

Borghini White







120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Borghini White Polished G-3467

60x260 6 mm (59,55x260 cm - 23.45"x102.4")

Borghini White Polished G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")

Borghini White Polished G-3467

60x120 7 mm (59,55x119,3 cm - 35.22"x35.22")

Borghini White Polished G-1442

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")

Borghini White Polished G-1298

Borghini White Decor Polished G-1314

Decor 60x60

(59,55x59,55 cm - 23.62"x23.62")



STEPS Peldaños		Finish	30x260	30x130
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28
45x120	44,63x119,3 cm - 17.57"x46.97"	24	4	51,12	550,19	800	7,80

Borhini White & Gold









45x120 7 mm (*) (44,63x119,3 cm - 17.57"x46.97")

Borhini White Glossy G-7180

Borhini Gold Geometry Glossy G-7884

Borhini White Glossy Decor G-7298

Borhini Gold Leaf Glossy G-7884


(*) Ceramic Wall tile. *Revestimiento pasta blanca*



walls: BORGHINI WHITE Glossy Decor 45x120
floor: RELLIK BEIGE Lappato 100x100

Elegance
COLLECTION

Floor & walls



120x260
46.97” x 102.4”


Polished **6** mm



Elegance White Polished

Statuario
COLLECTION


Linetop



162x324
63.8” x 127.6”

Natural & Polished **12** mm

Floor & walls



120x260
46.97” x 102.4”

60x260
23.45” x 102.4”

120x120
46.97” x 46.97”

Natural & Polished **6** mm



Statuario Extra White Natural & Polished


Elegance White Polished Bookmatch 120x260 & Equinox Anthracite Natural 120x260

p. 148 - 149

Statuario Extra White Polished Bookmatch 120x260 & Statuario Extra White Natural 120x120

p. 150 - 151

Prism Decor



120x260 6 mm (119,3x260 cm - 46.97"x102.4")


Statuario White Polished Prism Decor G-2964


Statuario White Polished Prism Decor & St. Vincent Anthracite Natural 120x120

p. 152 - 153

Statuario Extra White Natural & Polished







162x324 12 mm	(162x324 cm - 63.8"x127.6")
Statuario Extra White Bookmatch Polished A+B	G-3654
Statuario Extra White Bookmatch Natural A+B	G-3620

120x260 6 mm	(119,3x260 cm - 46.97"x102.4")
Statuario Extra White Polished Mix	G-3467
Statuario Extra White Natural Mix	G-3413
Statuario White Polished Prism Decor	G-2964

60x260 6 mm	(59,55x260 cm - 23.45"x102.4")
Statuario Extra White Polished Mix	G-3467
Statuario Extra White Natural Mix	G-3413

120x120 6 mm	(119,3x119,3 cm - 46.97"x46.97")
Statuario Extra White Polished Mix	G-3467
Statuario Extra White Natural Mix	G-3413

Natural

DIN	DCOF	PTV	CLASE
R10	>0,42	>24	1

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
		Polished	G-2849	G-2677
Gradone		Natural	G2875	G-2741
		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35



Statuario Extra White Polished Mix 120x260

Elegance White Polished Bookmatch



*** Elegance White Polished Bookmatch 120x260 block A & block B are not sold separately.**
* Los bloques A y B de Elegance White Polished Bookmatch 120x260 no se venden por separado.

120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Elegance White Polished Bookmatch A+B G-3495

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35




Elegance White Polished 120x260 & St, Vincent Anthracite Natural 120x120

p. 156 - 157

Ocean Blue
COLLECTION

Floor & walls



Polished **6** mm

Polished **7** mm



Blue Polished



Ocean Blue Polished 160x320 & 80x160

Ocean Blue Polished







160x320 6 mm (160x320 cm - 62.99"x125.98")
Ocean Blue Polished G-3495

160x160 6 mm (160x160 cm - 62.99"x62.99")
Ocean Blue Polished G-3495

80x160 6 mm (80x160 cm - 31.49"x62.99")
Ocean Blue Polished G-3495

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Ocean Blue Decor Polished G-1314

Decor 60x60
(59,55x59,55 cm - 23.62"x23.62")




PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
160x320	160x320 cm - 62.99"x125.98"	14	1	71,68	771,56	1180	14,45
160x160	160x160 cm - 62.99"x62.99"	24	1	61,44	661,34	975	14,45
80x160	80x160 cm - 31.49"x62.99"	34	1	43,52	468,44	700	14,45
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28



Orobico Red
COLLECTION

Floor & walls



120x260
46.97” x 102.4”

120x120
46.97” x 46.97”

Polished **6** mm


60x120
23.45” x 46.97”

60x60
23.45” x 23.45”

Natural & Polished **7** mm

50x100
19.59” x 39.19”


Outdoor
20 mm



Orobico Red Natural & Polished

Ice Jade
COLLECTION

Floor & walls



120x260
46.97” x 102.4”

120x120
46.97” x 46.97”

Polished **6** mm

60x120
23.45” x 46.97”

Natural & Polished
7 mm



Green Natural & Polished

Orobico Red Polished 120x120

p. 166 - 167



Orobico Red Natural 50x100

SOLID
2 cm

Orobico Red Solid 2CM 50x100

p. 170 - 171



Ice Jade Green Polished Mix 120x260 & 120x120

Ice Jade Green Polished Mix 120x260 & Ice Jade Green Polished Mix 120x120

p. 174 - 175



Ice Jade Green Polished Mix 120x260 & 120x120

Orobico Red Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Orobico Red Polished G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Orobico Red Polished G-3467

60x120 7 mm (59,55x119,3 cm - 35.22"x35.22")
Orobico Red Polished G-1442
Orobico Red Natural G-1352

60x60 7 mm (59,55x59,55 cm - 23.62"x23.62")
Orobico Red Polished G-1298

50x100 20 mm (49,75x99,55 cm - 19.59"x39.19")
Orobico Red Solid 2 cm G-9234

Natural	DIN R10 (DIN 51130)		DCOF >0,42 (ANSI A137.1)	PTV >24 (BS-7976-2)	CLASE 1 (UNE 41901 EX)
Solid 2 cm	DIN R11 (DIN 51130)	DIN C (DIN 51097)	DCOF >0,42 (ANSI A137.1)	PTV >36 (BS-7976-2)	CLASE 3 (UNE 41901 EX)

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59
50x100 2cm	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64
60x60	59,55x59,55 cm - 23.45"x23.45"	30	5	53,19	572,56	920	17,28

Ice Jade Green Natural & Polished







120x260 6 mm (119,3x260 cm - 46.97"x102.4")
Ice Jade Green Polished Mix G-3467

120x120 6 mm (119,3x119,3 cm - 46.97"x46.97")
Ice Jade Green Polished Mix G-3467

60x120 7 mm (89,46x89,46 cm - 35.22"x35.22")
Ice Jade Green Polished G-1442
Ice Jade Green Natural G-1352


Natural	DIN R10 (DIN 51130)	DCOF >0,42 (ANSI A137.1)	PTV >24 (BS-7976-2)	CLASE 1 (UNE 41901 EX)

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Polished	G-2849	G-2677
Gradone		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97"x46.97"	32	1	45,54	490,23	793	16,35
60x120	59,55x119,3 cm - 23.45"x46.97"	30	2	42,63	458,83	746	17,59

Pietra Grey
COLLECTION


Linetop



162x324
63.8” x 127.6”

Natural & Polished **12** mm

Floor & walls



120x260
46.97” x 102.4”



60x260
23.45” x 102.4”



120x120
46.97” x 46.97”


Natural & Polished **6** mm



Pietra Grey Natural & Polished

St. Vincent
COLLECTION


Linetop



162x324
63.8” x 127.6”

Natural & Polished **12** mm

Floor & walls



120x260
46.97” x 102.4”




60x260
23.45” x 102.4”



120x120
46.97” x 46.97”

Natural **6** mm



St. Vincent Anthracite Natural & Polished



Pietra Grey Polished 120x120, Pietra Grey Polished 120x120 & Equinox White Natural 120x260

p. 182 - 183

St. Vincent Anthracite Natural 120x120 & Elegance White Polished 120x260

p. 184 - 185

Pietra Grey Natural & Polished





162x324 12 mm (162x324 cm - 63.8”x127.6”)

Pietra Grey Polished	G-3616
Pietra Grey Natural	G-3590

120x260 6 mm (119,3x260 cm - 46.97”x102.4”)

Pietra Grey Polished	G-3459
Pietra Grey Natural	G-3397

60x260 6 mm (59,55x260 cm - 23.45”x102.4”)

Pietra Grey Polished	G-3459
Pietra Grey Polished Leaves Decor	G-2930

120x120 6 mm (119,3x119,3 cm - 46.97”x46.97”)

Pietra Grey Polished	G-3459
Pietra Grey Natural	G-3397


Natural

DIN R10 DIN 51130

DCOF >0,42 ANSI A137.1


PTV >24 BS-7976-2

CLASE 1 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
		Polished	G-2849	G-2677
Gradone		Natural	G-2875	G-2741
		Polished	G-2883	G-2761

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97”x102.4”	17	1	52,73	567,59	926	16,35
120x260	119,3x260 cm - 46.97”x102.4”	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97”x46.97”	32	1	45,54	490,23	793	16,35

St. Vincent Anthracite Natural & Polished







162x324 12 mm (162x324 cm - 63.8”x127.6”)

St. Vincent Anthracite Polished	G-3616
St. Vincent Anthracite Natural	G-3590

120x260 6 mm (119,3x260 cm - 46.97”x102.4”)

St. Vincent Anthracite Natural	G-3381

60x260 6 mm (59,55x260 cm - 23.45”x102.4”)

St. Vincent Anthracite Natural	G-3381

120x120 6 mm (119,3x119,3 cm - 46.97”x46.97”)

St. Vincent Anthracite Natural	G-3381

Natural

DIN R10 DIN 51130

DCOF >0,42 ANSI A137.1

PTV >36 BS-7976-2


CLASE 2 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G-2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97”x102.4”	17	1	52,73	567,59	926	16,35
120x260	119,3x260 cm - 46.97”x102.4”	17	1	52,73	567,59	926	16,35
120x120	119,30x119,3 cm - 46.97”x46.97”	32	1	45,54	490,23	793	16,35

Junoon
COLLECTION

Floor & walls



120x260
46.97” x 102.4”

30x260
11.81” x 102.4”

50x100
19.59” x 39.19”

Natural **6** mm

Outdoor
20 mm



Maple Natural



Beige Natural

Junoon Beige Natural 30x260 & Equinox White Natural 120x260



Junoon Maple Natural 30x260 & Equinox Grey Natural 120x120

Junoon Beige Solid 50x100

Junoon Beige Natural



120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Junoon Beige Natural G-3391

30x260 6 mm (29,75x260cm - 11.81"x102.4")

Junoon Beige Natural G-3371

50x100 20 mm (49,75x99,55 cm - 19.59"x39.19")

Junoon Beige Solid 2 cm G-9234

Natural	DIN R10 DIN 51130		DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 1 UNE 41901 EX
Solid 2 cm	DIN R11 DIN 51130	DIN C DIN 51097	DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 3 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
30x260	29,75x260 cm - 11.81"x102.4"	32	5	49,50	532,86	885,70	16,35
50x100	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64

Junoon Maple Natural



120x260 6 mm (119,3x260 cm - 46.97"x102.4")

Junoon Maple Natural G-3391

30x260 6 mm (29,75x260cm - 11.81"x102.4")

Junoon Maple Natural G-3371

50x100 20 mm (49,75x99,55 cm - 19.59"x39.19")

Junoon Maple Solid 2 cm G-9234

Solid 2 cm	DIN R11 DIN 51130	DIN C DIN 51097	DCOF >0,42 ANSI A137.1	PTV >36 BS-7976-2	CLASE 3 UNE 41901 EX

STEPS Peldaños		Finish	30x260	30x130
Peldaño		Natural	G-2839	G-2651
Gradone		Natural	G2875	G-2741

PACKING CRATE / PALLET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2
120x260	119,3x260 cm - 46.97"x102.4"	17	1	52,73	567,59	926	16,35
30x260	29,75x260 cm - 11.81"x102.4"	32	5	49,50	532,86	885,70	16,35
50x100	49,75x99,55 cm - 19.59"x39.19"	36	1	17,83	191,91	849,38	47,64

slabs
Linetop

Size

162x324

162x324 cm

63.8"x127.6"

Finishes

Natural & Polished

Thickness

12 mm

Linetop pieces are in full size non rectified

Las piezas de Linetop no están rectificadas



Tattoo Oxidum Decor	200
Equinox Grey Natural	202
Statuario Extra White Bookmatch Natural	204
Statuario Extra White Bookmatch Polished	204
Calacatta Lincoln Natural	206
Calacatta Lincoln Polished	206
St. Vincent Anthracite Natural	208
St. Vincent Anthracite Polished	208
Pietra Grey Natural & Polished	209
Super White Natural	210
Super White Polished	211
Super Black Natural	211







Color resistance to light
Resistencia del color a la luz

Frost resistant
Resistente a heladas

Humidity resistance
Anti-humedad

Resistance to staining
Anti-manchas

UV resistant
Resistencia a rayos UV

Heat resistant
Resistencia al calor

Resistant to mould and bacteria
Resistente a moho y bacterias

Easy cleaning
Fácil limpieza

Thermal shock resistant
Resistencia a cambios de temperatura

Dimensional stability
Estabilidad dimensional

Resistant to abrasion
Resistencia a la abrasión

Chemical resistant
Resistencia química

Tattoo Oxidum Decor



Size

162x324
162x324 cm
63.8"x127.6"

Finishes

Natural
G-3574

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

Equinox Grey Natural



Size

162x324

162x324 cm
63.8"x127.6"

Finishes

Natural

G-3520

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

Statuario Extra White Natural & Polished



Size

162x324

162x324 cm
63.8"x127.6"

Finishes

Natural
G-3620
Polished
G-3654

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

Calacatta Lincoln Natural & Polished



Size

162x324
162x324 cm
63.8"x127.6"

Finishes

Natural
G-3620
Polished
G-3654

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

St. Vincent Anthracite Natural & Polished



Size

162x324
162x324 cm
63.8"x127.6"

Finishes

Natural
G-3590
Polished
G-3616

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

Pietra Grey Natural & Polished



Size

162x324
162x324 cm
63.8"x127.6"

Finishes

Natural
G-3590
Polished
G-3616

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

Super White Polished



Size

162x324

162x324 cm

63.8"x127.6"

Finishes

Polished

G-3690

Thickness

12 mm

Linetop pieces are in full size non rectified

Las piezas de Linetop no están rectificadas

Super Black Natural



Size

162x324

162x324 cm

63.8"x127.6"

Finishes

Natural

G-3666

Thickness

12 mm

Linetop pieces are in full size non rectified

Las piezas de Linetop no están rectificadas

Super White Natural



Size

162x324

162x324 cm

63.8"x127.6"

Finishes

Natural

G-3666

Thickness

12 mm


Linetop pieces are in full size non rectified

Las piezas de Linetop no están rectificadas

Washbasins - Lavabos

NIAGARA (one side drain) L 180 x W 50 x H 12 cm


	L-180
Natural	G-2988
Polished	G-2994





BLOCK (all sides drain) L 80/120/180 x W 45 x H 12 cm


	L-80	L-120	L-180
Natural	G-2980	G-2984	G-2988
Polished	G-2986	G-2990	G-2994





SIMPLE (one side drain) L 80/120/180 x W 45 x H 12 cm


	L-80	L-120	L-180
Natural	G-2978	G-2978	G-2982
Polished	G-2984	G-2984	G-2988





BASIC (all sides drain) L 80/120/180 x W 45 x H 12 cm


	L-80	L-120	L-180
Natural	G-2976	G-2976	G-2980
Polished	G-2982	G-2982	G-2986





FREE STANDING (all sides drain) L 45 x W 45 x H 90 cm

	L-45
Natural	G-2976
Polished	G-2984








Colors - Colores



Tattoo Oxidum
Decor



Equinox Grey
Natural



Statuario Extra White
Natural & Polished



Pietra Grey
Natural & Polished

Available in all
Linetop 12 mm series.


Disponible en todas las
series Linetop 12 mm.



St. Vincent Anthracite
Natural & Polished



Calacatta Lincoln
Natural & Polished



Super White
Natural & Polished




Super Black
Natural



Steps - Peldaños

260 cm / 6 mm






Step/ Peldaño 260

Natural G-2839
Polished G-2849

Gradone - Gradone






Gradone 260

Natural G-2875
Polished G-2883


130 cm / 6 mm





Step/ Peldaño 130

Natural G-2651
Polished G-2677






Gradone 130


Natural G-2741
Polished G-2761


120 cm / 7 mm






Consult price in each collection.
Consulte el precio en cada colección.






Consult price in each collection.
Consulte el precio en cada colección.


90 cm / 7 mm






Consult price in each collection.
Consulte el precio en cada colección.






Consult price in each collection.
Consulte el precio en cada colección.


60 cm / 7 mm





Consult price in each collection.
Consulte el precio en cada colección.





Consult price in each collection.
Consulte el precio en cada colección.



Packing Slabs / Embalaje Slabs

6 mm/12mm






A-frame / Caballete

PACKING A-FRAME / CABALLETE	TIPO	SIZE CM - INCH	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2	FRAME PRICE/ PRECIO CABALLETE
160x320	**Q**	160x320 cm - 62.99" x 125.98"	44	225,28	2424,89	3376	14,45	325 €
120x300	**Q**	119,3x300 cm - 46,97" x 118,11"	40	144	1550	2474	16,35	325 €
162x324	**Q**	162x324 cm - 63.8"x127.6"	16	83,98	903,95	2900	32,75	325 €
120x260	**O**	119,3x260 cm - 46.97" x 102.4"	40	124,07	1335,48	2150	16,35	295 €





7 levels
7 niveles

Crate / caja madera

PACKING SIZE CM - INCH	CRATE SIZE / MEDIDAS CAJA MADERA CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2	CRATE PRICE/ PRECIO CAJA
160x320 - 63" x 126"	175 x 340 x 38 cm - 68.89" x 133.85" x 14.96"	14	1	71,68	771,56	1180	14,45	200 €
120x300 - 48" x 102"	140 x 320x27 cm - 55" x 125.98" x 10"	17	1	61,20	658,76	1121	16,35	150 €
120x260 - 48" x 102"	140 x 280x27 cm - 55" x 110" x 10"	17	1	52,73	567,59	926	16,35	150 €
160x160 - 63" x 63"	175 x 183 x 41 cm - 68.89" x 72.04" x 16.14"	24	1	61,44	661,34	975	14,45	150 €
60x260 - 24" x 102"	140 x 280x27 cm - 55" x 110" x 10"	34	1	52,64	566,64	961	16,35	150 €
30x260 - 12" x 102"	275x137x27 cm - 108.27" x 53.93" x 10.63"	32	2	49,50	532,86	961	16,35	150 €





4 levels
4 niveles

Pallet / palet

PACKING PALLET / PALET	SIZE CM - INCH	BOXES/ PALLET	PIECES/ BOX	M^2/ PALLET	SQF/ PALLET	KG/ PALLET	KG/ M^2	CRATE PRICE/ PRECIO CAJA
80x160	80x160 cm - 31.49" x 62.99"	34	1	43,52	468,44	700	14,45	65 €
120x120	119,30x119,3 cm - 46.97" x 46.97"	32	1	45,54	490,23	793	16,35	65 €
60x150	59,55x150 cm - 23.44" x 59.06"	30	2	53,59	576,89	874	16,35	65 €

Specs / Características

Polished

TECHNICAL CHARACTERISTICS CARACTERÍSTICAS TÉCNICAS	STANDARD TEST METHOD MÉTODO DE LA NORMA	STANDARD PRESCRIBED VALUES VALOR PRESCRITO POR LA NORMA	SLABS VALUE VALOR SLABS
MEASUREMENTS SURFACE APPEARANCE / DIMENSIONES Y ASPECTO SUPERFICIAL			
NOMINAL THICKNESS/ ESPESOR NOMINAL			6,5mm - 1/4"
LENGTH AND WIDTH / LONGITUD Y ANCHURA	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
THICKNESS / ESPESOR	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 5.0 %
ORTHOGONALITY / ORTOGONALIDAD	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
SURFACE FLATNESS / PLANITUD DE SUPERFICIE	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
PHYSICAL PROPERTIES / PROPIEDADES FÍSICAS			
WATER ABSORPTION / ABSORCIÓN DE AGUA	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
MODULUS OF RUPTURE / RESISTENCIA A LA FLEXIÓN	UNE - EN ISO 10545 - 4	> 35 N/mm^2	>45 N/mm^2
BREAKING STRENGTH / FUERZA DE ROTURA	UNE - EN ISO 10545 - 4	> 700 N	>1200 N
RESISTANCE TO DEEP ABRASION / RESISTENCIA A LA ABRASIÓN PROFUNDA	UNE - EN ISO 10545 - 6	< 175 mm^3	<170mm^3
TEMPERATURE SHOCK RESISTANCE / RESISTENCIA AL CHOQUE TERMICO	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS O ROTURAS VISIBLES	Resistant / Resistente
RESISTANCE TO COLD / RESISTENCIA A LA HELADA	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS VISIBLES	ANTI-ICE / Antihielo
ANTI-SLIP / ANTIDESLIZAMIENTO	DIN 51130	-	-
	DIN 51097	-	-
	UNE 41901-EX	-	-
	ANSI A326.3	-	-
	BS 7976	-	-
COLOUR RESISTANCE TO LIGHT / RESISTENCIA DEL COLOR A LA LUZ	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS	NO ALTERATIONS
CHEMICAL PROPERTIES / PROPIEDADES QUÍMICAS		NO DEBE PRESENTAR VARIACIONES DE COLOR	
CHEMICAL RESISTANCE / RESISTENCIA QUÍMICA	UNE - EN ISO 10545 - 13	RESISTANCE TO CHEMICAL PRODUCTS Min. UB/GB RESISTENCIA A PRODUCTOS QUÍMICOS Min. UB/GB	Min. GA /UA
RESISTANCE TO STAINING / RESISTENCIA A LAS MANCHAS	UNE - EN ISO 10545 - 14	Min.3	Min. 4

Natural

TECHNICAL CHARACTERISTICS CARACTERÍSTICAS TÉCNICAS	STANDARD TEST METHOD MÉTODO DE LA NORMA	STANDARD PRESCRIBED VALUES VALOR PRESCRITO POR LA NORMA	SLABS VALUE VALOR SLABS
MEASUREMENTS SURFACE APPEARANCE / DIMENSIONES Y ASPECTO SUPERFICIAL			
NOMINAL THICKNESS/ ESPESOR NOMINAL			6,5mm - 1/4"
LENGTH AND WIDTH / LONGITUD Y ANCHURA	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
THICKNESS / ESPESOR	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 5.0 %
ORTHOGONALITY / ORTOGONALIDAD	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
SURFACE FLATNESS / PLANITUD DE SUPERFICIE	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
PHYSICAL PROPERTIES / PROPIEDADES FÍSICAS			
WATER ABSORPTION / ABSORCIÓN DE AGUA	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
BENDING RESISTANCE / RESISTENCIA A LA FLEXIÓN	UNE - EN ISO 10545 - 4	> 35 N/mm^2	>45 N/mm^2
BREAKING STRENGTH / FUERZA DE ROTURA	UNE - EN ISO 10545 - 4	> 700 N	>1200 N
RESISTANCE TO DEEP ABRASION / RESISTENCIA A LA ABRASIÓN PROFUNDA	UNE - EN ISO 10545 - 6	< 175 mm^3	<170mm^3
TEMPERATURE SHOCK RESISTANCE / RESISTENCIA AL CHOQUE TERMICO	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS O ROTURAS VISIBLES	Resistant / Resistente
RESISTANCE TO COLD / RESISTENCIA A LA HELADA	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS VISIBLES	ANTI-ICE / Antihielo
ANTI-SLIP / ANTIDESLIZAMIENTO	DIN 51130	-	See table / Ver tabla*
	DIN 51097	-	-
	UNE 41901-EX	-	-
	ANSI A326.3	-	-
	BS 7976	-	-
COLOUR RESISTANCE TO LIGHT / RESISTENCIA DEL COLOR A LA LUZ	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS	NO ALTERATIONS
CHEMICAL PROPERTIES / PROPIEDADES QUÍMICAS		NO DEBE PRESENTAR VARIACIONES DE COLOR	
CHEMICAL RESISTANCE / RESISTENCIA QUÍMICA	UNE - EN ISO 10545 - 13	RESISTANCE TO CHEMICAL PRODUCTS Min. UB/GB RESISTENCIA A PRODUCTOS QUÍMICOS Min. UB/GB	Min. GA /UA
RESISTANCE TO STAINING / RESISTENCIA A LAS MANCHAS	UNE - EN ISO 10545 - 14	Min.3	Min. 4

Tests for polished finish characteristics done in Statuario White Polished 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.
Pruebas para las características del acabado pulido realizadas sobre el producto Statuario White Polished 120x260. Valor de media a fecha de Marzo 2017. Consultar valor de un producto específico antes del suministro.

Tests for natural finish characteristics done in Tattoo Oxidum Decor 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.
Pruebas para las características del acabado natural realizadas sobre el producto Tattoo Oxidum Decor 120x260. Valor de media a fecha de Marzo 2017. Consultar valor de un producto específico antes del suministro.

Cleaning & maintenance

The first cleaning “after installation”.
The most important cleaning operation is performed immediately after laying the tiles. This involves the complete removal of residues and dirt from the tile placement. An inadequate or late removal of this waste can create a cementitious layer on the tile capable of absorbing all forms of dirt. This may give the impression that the tile gets dirty when the actual problem resides in the surface film of dirt which was not removed immediately after laying.

Once the grouting of the tiles is finished, it is important, while the grout is still wet, to carefully remove any excess material immediately. This can be done using a sponge and plenty of clean water, repeating this as many times as necessary.
Do not perform the cleaning with metal tools, scrapers or abrasive pads. For stubborn stains, clean with alcohol and lukewarm water and rub with a clean cloth. If they do not disappear, check with the relevant technical department.
Once the above mentioned washing is done, another washing should be carried out using basic or alkaline degreasing agents, as acid washing can leave stickiness on the pavement which could help retain dirt. In areas where water is calcareous, it is convenient to dry the surface, in order to prevent the deposition of carbonates which will reduce the surfaces’ gleam.

Regular maintenance
Many available cleaning products for general use can be used with our products. For daily cleaning, one can use detergents or degreasing products diluted in warm water, following each product’s instructions. It is important that the cleaner does not have oil, animal fat, or soap base. These components may leave an invisible residue whilst absorbing dirt (lime stratifications detergent or residues). It is also important that the tile receives a thorough rinsing with clean water after the cleaning process is complete.
The low water absorption and high standards met by all porcelain tiles ensure a product which is easy to maintain. Our products do not require the use of sealants or waxes. These superficial coatings can really affect the performance of the tile in a negative manner.

It is important to note that hydrofluoric acid (HF) and derivatives can irreparably damage the tile. agreed

The general steps for regular cleaning of our ceramic products can be summarized as follows:
• Remove any solid or liquid waste from the tile, sweeping with a soft bristle broom or vacuuming.

• Clean up liquid spills as soon as possible with lukewarm water.

• Apply the recommended amount and dilution of the cleaner for the tile (follow the cleaner manufacturer’s instructions). The wiper must remain in the tile a minimum period of 5 minutes.

• For unpolished tiles, scrub with a nylon sponge or soft bristle brush. A floor machine equipped with a nylon pad or bristle brush can be used for heavily soiled surfaces. For polished tiles, clean with a nonabrasive cloth.

• Remove the dirty cleaning solution and water with a vacuum cleaner or cloth. Rinse the porcelain tile with clean water and remove again with a vacuum cleaner, mop or towel. It is absolutely essential that all detergent residues are removed completely from the tile. Any remaining detergent that dries on the tiles surface can form a coating that can trap dirt and be very difficult to remove. The tile should be rinsed several times to remove all detergent residues.

During use, the cleaning of the tiles should be similar to window cleaning. Ammonia and even bleach type products can be employed, but both must be diluted in water.

In case of special stains and/or particularly resistant, it is advisable to use specific detergents according to the cleaners’ manufacturer. Do not forget that removing any type of stain is easier when it is still fresh.

It is important to always do a pre-test the detergent products result on a small sample of the porcelain.

Limpieza y mantenimiento

La primera limpieza “después de la colocación”
La operación de limpieza más importante se lleva a cabo inmediatamente “después de la colocación de la baldosa”. Esto implica la eliminación completa de los residuos de lechada y de la suciedad de la colocación de las propias baldosas. Una eliminación inadecuada o tardía de estos residuos puede crear sobre la baldosa una película cementosa capaz de absorber toda forma de suciedad, dando la impresión que se ensucia la baldosa, cuando el problema está en la película superficial de suciedad.

Una vez efectuado el rejuntado de las baldosas, es importante cuando el material de rejuntado todavía está fresco, eliminar el material sobrante cuidadosa e inmediatamente, utilizando para ello una esponja y agua limpia abundante, repitiendo esta operación tantas veces como sea necesario.
No debe realizarse la limpieza del material con espátulas metálicas ni estropajos abrasivos. En el caso de manchas resistentes, limpiar con alcohol y agua caliente y frotar con un paño limpio. Si no desaparecen, consultar con el departamento técnico correspondiente.
Una vez efectuado el lavado mencionado arriba, deberá efectuarse un lavado básico o alcalino utilizando detergentes desengrasantes, ya que el lavado ácido puede dejar una untuosidad sobre el pavimento que podría contribuir a retener la suciedad. En aquellas zonas donde el agua sea calcárea conviene secar la superficie para evitar la deposición de carbonatos que disminuyen el brillo superficial.

Mantenimiento regular
Muchos productos de limpieza de uso general que están disponibles son aceptables para el uso en nuestros productos. Se puede emplear para la limpieza diaria detergentes o desengrasantes diluidos en agua caliente, según indicaciones del envase del limpiador.
Es importante que el limpiador no tenga base de aceite, grasa animal, o jabón. Estos componentes pueden dejar un residuo invisible al atrapar la suciedad (estratificaciones de cal de detergente o residuos de suciedad). También es importante que la baldosa reciba un enjuague a fondo con agua limpia después que el proceso de limpieza se haya completado.
La densidad inherente y baja absorción de agua de todos los productos aseguran un producto que es fácil de mantener.
No requieren el uso de selladores o ceras. Estos recubrimientos superficiales pueden realmente afectar negativamente el rendimiento de la baldosa.

Es muy importante tener en cuenta que el ácido Fluorhídrico (HF) y derivados pueden dañar irremediablemente la baldosa.

Los pasos generales de limpieza regular para nuestros productos cerámicos se pueden resumir del siguiente modo:
• Retirar cualquier residuo sólido o líquido de la baldosa, barriendo con una escoba de cerdas suaves o pasar la aspiradora.

• Limpiar los derrames líquidos tan pronto como sea posible.

• Aplicar la cantidad y dilución del limpiador recomendadas para la baldosa (ver indicaciones del fabricante del limpiador). El limpiador deberá permanecer en la baldosa un periodo mínimo de tiempo de 5 minutos.

• Para baldosas sin pulir, frotar con una esponja de nylon o un cepillo de cerdas suaves. Para superficies muy sucias puede usarse una máquina de piso equipado con una almohadilla de nylon o con un cepillo de cerdas. Para baldosas pulidas , limpie con un trapo no abrasivo o un paño.

• Retirar la solución de limpieza sucia y el agua con una aspiradora o un trapo. Enjuague la pieza con agua limpia y retire de nuevo con una aspiradora, fregona, o una toalla. Es absolutamente esencial para todos los residuos de detergente que se eliminen por completo de la baldosa. Cualquier resto de detergente que se seque sobre la baldosa puede formar un recubrimiento que puede atrapar la suciedad y será muy difícil de eliminar. La baldosa debe enjuagarse varias veces para eliminar todos los residuos de detergente.

Durante su uso, la limpieza de la baldosa debe hacerse de forma similar a la limpieza de cristales. Se puede emplear productos de tipo amoniacal e incluso lejía, ambos diluidos en agua.

En caso de manchas particulares y/o especialmente resistentes, es aconsejable usar detergentes específicos según especificaciones del fabricante del limpiador. No hay que olvidar que la eliminación de cualquier tipo de mancha resulta más fácil cuando ésta todavía está fresca.

Es importante hacer siempre una prueba previa antes de usar los productos detergentes.

General conditions of sale

1. REGULATIONS FOR CONTRACTING
The general conditions of sale here detailed, except for any possible modifications or exceptions agreed in writing, shall govern all sale contracts concluded between APAVISA PORCELANICO S.L (hereinafter the Seller) and the Buyer. Any variations of the general conditions of sale, offers, transactions, credits or discounts, agreed by the Agents or other intermediaries of the Seller, will not be considered valid without the written confirmation of staff at the Seller’s Head Office.

2. PURCHASE AND SUPPLY ORDERS
Only purchase orders received in writing will be valid, these being subject to the acceptance of the Seller by Order Confirmation. The supply shall include only the services, materials and quantities specified in the Order Confirmation or in other written communications by the Seller.
Should there be any differences in the request for order or Purchase Order, the Order Confirmation or pro forma invoice is to be considered the only valid document. A Partial Confirmation of the Order communicated in writing by the Seller means that the approval is partial and does not entail or imply confirmation of the rest of the requested order.

3. DELIVERY
Unless expressly agreed otherwise, the place of loading and the terms of sale of the Seller shall be indicated in the invoice and the delivery conditions will be “Ex Works” according to the INCOTERMS rules of the International Chamber of Commerce.
In any case, the full responsibility for deterioration, breakage or loss of product during the loading and transportation shall be borne by the Buyer.
The buyer must verify the integrity of the merchandise within a maximum period of 24 hours from receipt. Any broken or missing material communicated subsequently shall be understood as neither attributable to nor the responsibility of the Seller.
The costs for the return of the merchandise due to any errors or causes beyond the responsibility or control of the Seller, shall be fully borne by the Buyer.

4. DELIVERY TERMS
The delivery term shall be agreed by the contracting parties. Provided that special clauses have not been included, the delivery term will be for information purposes only and will not be understood as mandatory or a binding condition.
Any event of force majeure will interrupt the delivery term while the event lasts. If, as a result of force majeure, the contract cannot be executed within 60 days of the date agreed upon, each party shall be entitled to terminate the contract. In such case, the declaration of termination must be sent to the other party by registered letter with return receipt within 10 days from the expiry of said period of 60 days, excluding any reciprocal rights to compensation or reparation of damages suffered.

5. PRICES AND PAYMENTS
The valid price will be established by the Seller’ in the corresponding invoice.
The place of Payment is set at the Seller’s registered address in Spain.
Payment shall be made in the manner and the terms established by the Seller in the invoice for the sale of the merchandise.
The delay in the payment of the invoices issued, even if it were partial, exceeding the agreed maturity, will immediately accrue a default interest, calculated according to the legal interest of the money calculated annually in Spain with an increase of 6 basic points. In addition, the non-payment or delay in the payment of all or part of the invoices - whatever the reason - will entitle the Seller to request the advance payment for the outstanding supplies and / or to proceed with the termination of the contract, which will release the latter from the obligation to comply with other possible contractual obligations, and will be likewise entitled to cancel the supply of other possible pending orders, without the Buyer being able to request any type of compensation from the Seller.

6. GUARANTEE
The materials supplied meet the quality requirements established in the current standards EN-14411 and UNE-EN-ISO 10545. Quality assurance is limited to first quality materials, with a maximum allowable tolerance of approximately 5% (five percent). Any guarantee in respect of defects in second or third quality materials or special sale lots is expressly excluded.
Any claims for defects shall be necessarily notified by registered letter sent to the Seller’s registered office, made before the material is mounted and, in any case, within 10 days from receipt of the material.
Any claims of installed material will not be accepted. Any claims for visible or hidden defects will not be valid once the material has been installed and the Guarantee will be automatically invalidated. It is the Buyer’s responsibility to check that the material is in perfect condition before installing it.
The Guarantee includes only the cleaning and / or repair of material and, failing that, the return of the material with manufacturing defects, which do not comply with the current technical standards EN-14411 and UNE-EN-ISO 10545, excluding any other obligation of the Seller. The Quality Guarantee will cover any defects of the material, exclusively when these are derived from the manufacturing process. Likewise, the Seller is exempt from liability arising from any deficiencies or defects of the product due to other causes, besides the manufacturing process.
Any possible claims on the material will not give the Buyer any right to interrupt or delay, totally or partially, the payment that will have to be made within the established deadlines.

7. ARBITRATION CLAUSE
Any dispute arising in respect of the product of the Seller and the guarantee thereof, including, without limitation, any damages that are not solved amicably between the parties, shall be submitted to arbitration. The arbitration proceedings will be held before an arbitrator. The arbitration proceedings will be conducted in accordance with the rules and regulations of the Court of Arbitration, located in the Chamber of Commerce of Castellón (Spain). All parties unconditionally accept the provisions of this paragraph.

8. PROHIBITION TO EXPORT
Except in the case of other specific agreements, the Buyer shall not export the materials supplied by our Company, or transfer them to any companies or individuals for the purpose of exportation.

9. VALIDITY OF GENERAL CONDITIONS OF SALE
The aforementioned general conditions of sale are an integral part of the sale agreement and to all effects are binding for the Seller and the Buyer, moreover they faithfully represent the contractual will of the parties. The Buyer declares his specific approval.
The confirmation of the Order or Pro forma invoice by the Buyer, implies the acceptance of the general conditions of sale.

Condiciones generales de venta

1. REGLAMENTACIÓN PARA CONTRATAR
Las condiciones generales de venta aquí detalladas, excepto las posibles modificaciones o excepciones acordadas por escrito, regirán todos los contratos de venta celebrados entre APAVISA PORCELANICO S.L (en adelante, el Vendedor) y el Comprador. Cualquier variación de las condiciones generales de venta, ofertas, transacciones, créditos o descuentos, acordados por los Agentes u otros intermediarios del Vendedor, no se considerarán válidos sin la confirmación por escrito del personal de la Oficina Central del Vendedor.

2. PEDIDOS DE COMPRA Y SUMINISTRO
Solo las órdenes de compra recibidas por escrito serán válidas, y estarán sujetas a la aceptación del Vendedor mediante la Confirmación de la Orden. El suministro incluirá solo los servicios, materiales y cantidades especificados en la Confirmación del pedido o en otras comunicaciones escritas por parte del Vendedor. Si hubiera alguna diferencia en la solicitud de pedido o en la Orden de compra, la confirmación del pedido o la factura pro forma se considerarán el único documento válido. Una confirmación parcial del pedido comunicada por escrito por el vendedor significa que la aprobación es parcial y no implica ni implica la confirmación del resto del pedido solicitado.

3. ENTREGA
A menos que se acuerde expresamente lo contrario, el lugar de carga y los términos de venta del Vendedor se indicarán en la factura y las condiciones de entrega serán “Ex Works” de acuerdo con las reglas de INCOTERMS de la Cámara de Comercio Internacional. En cualquier caso, la responsabilidad total por el deterioro, rotura o pérdida del producto durante la carga y el transporte correrá a cargo del Comprador. El comprador debe verificar la integridad de la mercancía dentro de un período máximo de 24 horas desde la recepción. Cualquier material roto o faltante comunicado posteriormente se entenderá como no atribuible ni responsabilidad del Vendedor. Los costos de la devolución de la mercancía debido a cualquier error o causas ajenas a la responsabilidad o control del Vendedor, correrán a cargo del Comprador.

4. TÉRMINOS DE ENTREGA
El plazo de entrega será acordado por las partes contratantes. Siempre que no se hayan incluido cláusulas especiales, el plazo de entrega será solo para fines informativos y no se entenderá como obligatorio ni obligatorio. Cualquier evento de fuerza mayor interrumpirá el plazo de entrega mientras dure el evento. Si, como resultado de fuerza mayor, el contrato no puede ejecutarse dentro de los 60 días de la fecha acordada, cada parte tendrá derecho a rescindir el contrato. En tal caso, la declaración de terminación debe enviarse a la otra parte por carta certificada con acuse de recibo dentro de los 10 días posteriores a la expiración de dicho período de 60 días, excluyendo cualquier derecho recíproco de compensación o reparación de daños sufridos.

5. PRECIOS Y PAGOS
El precio válido será establecido por el Vendedor en la factura correspondiente. El lugar de pago se establece en la dirección registrada del vendedor en España.El pago se realizará de la manera y los términos establecidos por el Vendedor en la factura por la venta de la mercancía. El retraso en el pago de las facturas emitidas, incluso si fuera parcial, superando el vencimiento acordado, devengará inmediatamente un interés de demora, calculado de acuerdo con el interés legal del dinero calculado anualmente en España con un aumento de 6 puntos básicos. Además, la falta de pago o la demora en el pago de la totalidad o parte de las facturas, sea cual sea el motivo, dará derecho al Vendedor a solicitar el pago por adelantado de los suministros pendientes y / o proceder con la terminación del contrato, que eximirá a este último de la obligación de cumplir con otras posibles obligaciones contractuales, y también tendrá derecho a cancelar el suministro de otros posibles pedidos pendientes, sin que el Comprador pueda solicitar ningún tipo de compensación al Vendedor.

6. GARANTÍA
Los materiales suministrados cumplen los requisitos de calidad establecidos en las normas actuales EN-14411 y UNE-EN-ISO 10545. El aseguramiento de la calidad se limita a los materiales de primera calidad, con una tolerancia máxima permitida de aproximadamente el 5% (cinco por ciento). Se excluye expresamente cualquier garantía con respecto a defectos en materiales de segunda o tercera calidad o lotes de venta especial. Cualquier reclamo por defectos se notificará necesariamente mediante una carta certificada enviada a la oficina registrada del Vendedor, hecha antes de que se monte el material y, en cualquier caso, dentro de los 10 días posteriores a la recepción del material. No se aceptarán reclamaciones de material instalado. Cualquier reclamo por defectos visibles u ocultos no será válido una vez que se haya instalado el material y la Garantía se invalidará automáticamente. Es responsabilidad del Comprador verificar que el material esté en perfectas condiciones antes de instalarlo. La Garantía incluye solo la limpieza y / o reparación de material y, en su defecto, la devolución del material con defectos de fabricación, que no cumplan con las normas técnicas actuales EN-14411 y UNE-EN-ISO 10545, excluyendo cualquier otra obligación del vendedor. La Garantía de Calidad cubrirá cualquier defecto del material, exclusivamente cuando se derive del proceso de fabricación. Asimismo, el Vendedor está exento de responsabilidad derivada de cualquier deficiencia o defecto del producto debido a otras causas, además del proceso de fabricación. Cualquier posible reclamo sobre el material no le dará al Comprador ningún derecho de interrumpir o retrasar, total o parcialmente, el pago que deberá realizarse dentro de los plazos establecidos.

7. ARBITRAJE
Cualquier disputa que surja con respecto al producto del Vendedor y la garantía del mismo, incluidos, entre otros, los daños que no se resuelvan amigablemente entre las partes, se someterán a arbitraje. El procedimiento de arbitraje se llevará a cabo ante un árbitro. Los procedimientos de arbitraje se llevarán a cabo de conformidad con las normas y reglamentos de la Corte de Arbitraje, ubicada en la Cámara de Comercio de Castellón (España). Todas las partes aceptan incondicionalmente las disposiciones de este párrafo.

8. PROHIBICIÓN A LA EXPORTACIÓN
Excepto en el caso de otros acuerdos específicos, el Comprador no exportará los materiales suministrados por nuestra Compañía, ni los transferirá a ninguna compañía o individuo con el propósito de exportarlos.

9. VALIDEZ DE LAS CONDICIONES GENERALES DE VENTA
Las condiciones generales de venta mencionadas anteriormente son una parte integral del acuerdo de venta y, a todos los efectos, son vinculantes para el Vendedor y el Comprador, además representan fielmente la voluntad contractual de las partes. El comprador declara su aprobación específica.
La confirmación del pedido o factura pro forma por parte del comprador implica la aceptación de las condiciones generales de venta.


find the collections




ARCH
CATALOGE



SLABS
CATALOGE



DISTRICT
CATALOGE



B-WALL
CATALOGE

COLLECTIONS	CATALOGUE
A.MANO collection	ARCH
AGATA BLUE	SLABS
ALCHEMY 7.0 collection	ARCH
ALCHEMY Hexagon	DISTRICT
ALUMINUM collection	ARCH
AMETHYST PURPLE	SLABS
ANARCHY collection	ARCH
ANIMA collection	ARCH
ANTICO Pre-Scored	DISTRICT
AQUARELA collection	DISTRICT
ARCO collection	DISTRICT
ARTEC 7.0 collection	ARCH
BERLIN Pre-Scored	DISTRICT
BETON collection	ARCH
BORGHINI	B-WALL
BORGHINI	SLABS
BURLINGTON collection	ARCH
CALACATTA LINCOLN	SLABS
CASSERO	SLABS
CAST IRON collection	ARCH
CUBE Hexagon	DISTRICT
DEGRADEE collection	ARCH
EARTH collection	ARCH
ECHO collection	DISTRICT
ELEGANCE	SLABS
ELEMENTS	B-WALL
EMOTION collection	DISTRICT
EMOTION	SLABS
ENCAUSTIC 2.0 collection	ARCH
ENCAUSTIC collection	ARCH
EQUINOX	SLABS
EVOLUTION collection	ARCH
FANTASY collection	ARCH

COLLECTIONS	CATALOGUE
FIRE collection	DISTRICT
FLUID	SLABS
FORMA collection	ARCH
GEODAS collection	DISTRICT
HUTTON Pre-Scored	DISTRICT
HUTTON collection	DISTRICT
HYDRAULIC collection	ARCH
ICE JADE	SLABS
INEDITA collection	DISTRICT
INSTINTO	SLABS
INTUITION Hexagon	DISTRICT
JUNOON	SLABS
KARACTER collection	DISTRICT
LAMIER collection	DISTRICT
LAVA collection	ARCH
LIFESTONE collection	ARCH
LIMESTONE collection	ARCH
LINETOP	SLABS
MAJOLICA Pre-Scored	DISTRICT
MANDALA Pre-Scored	DISTRICT
MARBLE 7.0 AGATE collection	ARCH
MARBLE 7.0 CALACATTA collection	ARCH
MARBLE 7.0 JOLIE collection	ARCH
MATERIA collection	ARCH
METAL 2.0 collection	ARCH
METAL collection	ARCH
MEtoDO collection	DISTRICT
MICROCEMENT collection	ARCH
MOOD collection	DISTRICT
MOOD	SLABS
NANCORTEN collection	ARCH
NANOAREA 7.0 collection	ARCH
NANOCOLORS collection	ARCH

COLLECTIONS	CATALOGUE
NANOCONCEPT 7.0 collection	ARCH
NANOCONCEPT Hexagon	DISTRICT
NANOECLECTIC collection	ARCH
NANOESSENCE 7.0 collection	ARCH
NANOEVOLUTION collection	ARCH
NANOFACTURE 7.0 collection	ARCH
NANOFANTASY collection	ARCH
NANOFORMA collection	ARCH
NANOICONIC collection	ARCH
NANOREGENERATION collection	ARCH
NANOSHIBA 7.0 collection	ARCH
NANOSPECTRUM 7.0 collection	ARCH
NANOTERRATEC collection	ARCH
NATURA collection	ARCH
NEOCOUNTRY collection	ARCH
NEWSTONE collection	ARCH
NORTH collection	DISTRICT
NORTH Pre-Scored	DISTRICT
OBJECT 7.0 collection	ARCH
OCEAN BLUE	SLABS
OLDSTONE collection	ARCH
ONICE	B-WALL
ONICE	SLABS
OPUS Pre-Scored	DISTRICT
OROBICO RED	SLABS
OTTA collection	ARCH
OUTDOOR collection	ARCH
OZONE	ARCH
OZONE	B-WALL
OZONE Hexagon	DISTRICT
PALADIO	B-WALL
PATAGONIA	B-WALL
PATAGONIA	SLABS

COLLECTIONS	CATALOGUE
PATINA collection	ARCH
PELLE collection	ARCH
PIETRA GREY	SLABS
PONTI Pre-Scored	DISTRICT
PULPIS collection	ARCH
PUNTO CROCE Hexagon	DISTRICT
QUARTZSTONE collection	ARCH
REGENERATION collection	ARCH
ROVERE collection	ARCH
RUST collection	DISTRICT
SENSO Pre-Scored	DISTRICT
SOUTH collection	DISTRICT
SPECTRUM collection	ARCH
ST. VINCENT	SLABS
STARLINE Hexagon	DISTRICT
STATUARIO	SLABS
STONETECH collection	ARCH
SUPER BLACK	SLABS
SUPER WHITE	SLABS
SYBARUM 7.0 collection	ARCH
TAPPETO collection	DISTRICT
TATTOO	SLABS
TERRAZZO collection	ARCH
VULCANIA collection	ARCH
WASHBASINS	SLABS
WAVE Pre-Scored	DISTRICT
WILD FOREST	SLABS
WIND collection	DISTRICT
WIND Pre-Scored	DISTRICT
ZINC	B-WALL
ZINC Hexagon	DISTRICT
ZINC	SLABS



APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.

APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L.
Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catalogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.

slabs

APAVISA

www.apavisa.com

Ctra. Castellón – San Juan de Moró, hm.7,5 - 12130 SAN JUAN DE MORÓ (Castellón) Spain
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195 - info@apavisa.com

sLAbs

by APAVISA

www.apavisa.com

Ctra. Castellón – San Juan de Moró, hm.7,5 - 12130 SAN JUAN DE MORÓ (Castellón) Spain
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195 - info@apavisa.com

SLABS05 / 1021