MARBLESTONE

Collections
2022

Kerlife Grupo

Kerlife Grupo

KERLIFE GRUPO is a company dedicated to designing and selling tile. It consists of various brands, well recognized in the tile industry and with worldwide presence.

Looking back on a yearlong experience as an export company, we have logistic bases in Spain, USA and Russia, with a significant warehouse capacity in all such places. Our alliances and commercial relations in the industry, as well as our qualified staff make our group an efficient partner, able to provide tile related services in all aspects of R&D and innovation.

Our philosophy is based on innovation and constant improvement in customer service. Both our experience, as well as our human team, pushes us on a constant quest for excellence and quality in all our projects, a balanced relationship between dynamism and consolidation.

We specialize in direct and preferential contact with our customers, creating a link to facilitate development and commercialization of our products. Therefore, it is our goal to get to cover every project's needs, through perseverance, quality and service.

We adjust products to our customers' needs, optimizing management processes, reducing deadlines and increasing results.

Every customer is different; therefore, we guarantee a wide range of services such as traditional commercialization, design of new exclusive lines, market studies and marketing tools. Exclusive, personal counseling through our sales network, as well as our experienced staff are quintessential to our business model.

A competitive image and communication strategy is a key factor on today's market.

Design and create unique spaces.

Marblestone

Sinfonia Collection 2022

6	Agatha
16	Calacatta
26	Classic
34	Cuarcita
40	Napoli
48	Royal
52	Vagli
60	Technical Section

Sinfonía

AGATHA

Of volcanic origin, Agatha is considered a precious stone thanks to its attractive shade variation, ranging from pearl to light brown and reddish shades.
The Agatha was highly revered by the ancients and is considered as the stone of science. It transports us to ancient cultures, where elegance plays with the playful sense of life.



CREAM PEARL WHITE

Wall Tile: AGATHA-P CREAM 60X120
Floor Tile: AGATHA-P CREAM 90X90

AGATHA CREAM


90x90 cm / 36”x36”
60x120 cm / 24”x48”

MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED

PORCELAIN TILE

Shade 60x120

Formats



90x90
36”x36”

60x120
24”x48”

Special pieces

30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Floor Tile: AGATHA-P CREAM 90X90

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	11
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-

AGATHA PEARL

90x90 cm / 36”x36”
60x120 cm / 24”x48”
60x60 cm / 24”x24”

MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED | MATT

PORCELAIN TILE

Shade 60x120

Formats




90x90
36”x36”

60x120
24”x48”

60x60
24”x24”

Special pieces



30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Wall Tile: ESSENCE-AGA WHITE 32X90
Floor Tile: AGATHA-P PEARL 90X90

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	11
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
60x60	m²	3	1,08	25	36	38,88	920	24
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-



Wall Tile: AGATHA-R WHITE 32X90 / ESSENCE-AGA WHITE 32X90
Floor Tile: AGATHA-P PEARL 90X90

AGATHA WHITE

32x90 cm / 13”x36”

WALL TILE

RECTIFIED AND BEVEL

V2 Slight Variation

GLOSSY

WHITE BODY



Wall Tile: AGATHA-R WHITE 32X90 / ESSENCE-AGA WHITE 32X90

AGATHA-R WHITE
32x90CM - 13”x36”

ESSENCE-AGA WHITE
32x90CM - 13”x36”



CONJUNTO ALIS-AGA WHITE (2P)
32x90CM - 13”x36”



SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
32x90	m²	4	1,15	20,90	56	64,40	1.190,40	18
32x90 *CON. 2P*	pz	4	1,15	20,90	14	16,13	312,60	-

CALACATTA

Elegance, light and exclusivity.
The beauty of Calacatta marble, with its pure white background and at the same time veined, make each piece a work of art.
Its veins cross obliquely and are characterized by the presence of different shades of gray mixed with dominant colors that sometimes approach gold.



WHITE



GOLD

Wall Tile: CALACATTA-R GOLD 32X90 / CONJUNTO ALIS-CA GOLD 32X90
Floor Tile: CALACATTA-P WHITE 90X90

CALACATTA WHITE

90x90 cm / 36”x36”
60x120 cm / 24”x48”

MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED | MATT

PORCELAIN TILE

Shade 60x120



Formats



90x90
36”x36”



60x120
24”x48”

Special pieces

30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Wall Tile & Floor Tile: CALACATTA-P WHITE 60X120

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	15
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-

CALACATTA GOLD

90x90 cm / 36”x36”
60x120 cm / 24”x48”
60x60 cm / 24”x24”


MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED | MATT

PORCELAIN TILE

Shade 60x120



Formats



90x90
36”x36”

60x120
24”x48”

60x60
24”x24”

Special pieces



30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Wall Tile: QUARTZ DIAMOND GOLD 31,6X90
Floor Tile: CALACATTA-P GOLD 90x90

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	15
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
60x60	m²	3	1,08	25	36	38,88	920	20
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-



Wall Tile: CALACATTA-R GOLD 32X90 / FOREST AMBER 20X120
Floor Tile: FOREST AMBER 20X120

CALACATTA GOLD

32x90 cm / 13”x36”

WALL TILE

RECTIFIED AND BEVEL

V2 Slight Variation

GLOSSY



Wall Tile: CALACATTA-R GOLD 32X90 / CONJUNTO ALIS-CA GOLD (2P) 32X90



CALACATTA-R GOLD
32x90CM - 13”x36”



ESSENCE-CA GOLD
32x90CM - 13”x36”





CONJUNTO ALIS-CA GOLD (2P)
32x90CM - 13”x36”



SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
32x90	m²	4	1,15	20,90	56	64,40	1.190,40	14
32x90 *CON. 2P*	pz	4	1,15	20,90	14	16,13	312,60	-

CLASSIC

White marble of incredible beauty thanks to its spectacular gray veins, which extend over the entire surface giving it character.
Exclusive material, perfect for distinguished interiors. Its marked and thick veins give it a unique personality, capable of attracting all eyes.



WHITE

Wall Tile: CLASSIC-P WHITE 60X120
Floor Tile: CLASSIC-P WHITE 90X90


CLASSIC WHITE

90x90 cm / 36”x36”
60x120 cm / 24”x48”
60x60 cm / 24”x24”


MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED | MATT

PORCELAIN TILE

Shade 60x120



Formats



90x90
36”x36”

60x120
24”x48”

60x60
24”x24”

Special pieces



30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Wall Tile: CLASSIC-M WHITE 60X120
Floor Tile: CLASSIC-M WHITE 90X90

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	15
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
60x60	m²	3	1,08	25	36	38,88	920	24
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-



Wall Tile: CLASSIC-R WHITE 32X90 / ESSENCE-CL WHITE 32X90
Floor Tile: CLASSIC-P WHITE 90X90

CLASSIC WHITE

32x90 cm / 13”x36”

WALL TILE

RECTIFIED AND BEVEL

V2 Slight Variation

GLOSSY



Wall Tile: CLASSIC ESSENCE-CL WHITE 32X90



CLASSIC-R WHITE
32x90CM - 13”x36”



ESSENCE-CL WHITE
32x90CM - 13”x36”





CONJUNTO ALIS-CL WHITE (2P)
32x90CM - 13”x36”



SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
32x90	m²	4	1,15	20,90	56	64,40	1.190,40	18
32x90 *CON. 2P*	pz	4	1,15	20,90	14	16,13	312,60	-

CUARCITA

This marble is a Brazilian quartzite of a soft ivory white, mottled with very fine sand-colored veins.
It has delicate white tones and subtle veining to bring its elegance to high-level projects. Its high gloss polished finish makes it a majestic material only avalible to the most select natural stones.



WHITE

Wall Tile: CUARCITA-P WHITE 60X120
Floor Tile CUARCITA-P WHITE 60X120

CUARCITA WHITE

60x60 cm / 24”x24”
60x120 cm / 24”x48”

MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED

PORCELAIN TILE

Shade 60x120



Formats



60x120
24”x48”

Special pieces

30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



60x120 Bookmatch (2 pieces)
24”x48”



Wall Tile: CUARCITA BOOKMATCH 60X120 / CUARCITA 60X120
Floor Tile CUARCITA 60X120


SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	25
60x120 *bookmatch (2pcs)*	m²	2	1,4328	33,60	30	42,98	1028,00	2
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-



Floor Tile: CUARCITA 60X120

NAPOLI

The slabs have a fairly uniform cream-colored background.
Its tenuous and almost imperceptible veins due to dimensions and shape, end up amalgamating in the weak contrast of the only dominant color.
It is the most appreciated marble, used since time immemorial in architectural projects, palaces and temples.



WHITE



CREAM

Wall Tile: NAPOLI-R CREAM 32X90
Floor Tile: NAPOLI-P WHITE 90X90

NAPOLI WHITE

90x90 cm / 36”x36”
60x120 cm / 24”x48”

MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED

Shade 60x120

Formats



90x90
36”x36”



60x120
24”x48”

Special pieces

30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Wall Tile & Floor Tile: NAPOLI WHITE 90x90

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	15
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-



Wall Tile: CREMA-R CREAM 32X90 / ESSENCE-NA CREAM 32X90
Floor Tile: NAPOLI-P WHITE 90X90

NAPOLI CREAM

32x90 cm / 13”x36”

WALL TILE

RECTIFIED AND BEVEL

V2 Slight Variation

GLOSSY



Wall Tile: NAPOLI-R CREAM 32X90 / NAPOLI ESSENCE-NA CREAM 32X90



NAPOLI-R CREAM
32x90CM - 13”x36”



ESSENCE-NA CREAM
32x90CM - 13”x36”





CONJUNTO ALIS-NA CREAM (2P)
32x90CM - 13”x36”



SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
32x90	m²	4	1,15	20,90	56	64,40	1.190,40	10
32x90 *CON. 2P*	pz	4	1,15	20,90	14	16,13	312,60	-

ROYAL

Black marble with contrasts and infinite depth. This natural stone is sealed by fine veining running through the surface in pure white and orange tones. A material as elegant as it is timeless, it can be combined with all kinds of environments, from the most sophisticated to the most simple and practical.



BLACK



Wall Tile: CALACATTA-M WHITE 60X120 / ROYAL-P BLACK 60C120
Floor Tile: ROYAL-P BLACK 90X90

ROYAL BLACK

90x90 cm / 36”x36”
60x120 cm / 24”x48”

MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED

PORCELAIN TILE

Shade 60x120



Formats



90x90
36”x36”



60x120
24”x48”

Special pieces



30x30 *mosaic 36T*
12”x12”



26x28 *mosaic Hex.14T*
10”x11”




Wall Tile: SPHERES JUNGLE WHITE&GOLD 29.5X29
Floor Tile: ROYAL-P BLACK 90X90

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	11
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	11
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-

VAGLI

Thanks to its shapes and grain, the essence of architecture and interior design acquire greater value and personality.
With its pure white background, it has become a star product, offering an impressive cover letter, offering sensations of dynamism and eternity. The elegance of its gray veins differentiate it piece by piece, creating pleasant and welcoming spaces.



WHITE

Wall Tile & Floor Tile: ROYAL-P BLACK 90X90 / VAGLI-P WHITE 90X90

VAGLI WHITE

90x90 cm / 36”x36”
60x120 cm / 24”x48”


MULTI PURPOSE | RECTIFIED AND BEVEL | V2 Slight Variation | POLISHED | MS MATT-SOFT | MATT

PORCELAIN TILE

Shade 60x120



Formats




90x90
36”x36”

60x120
24”x48”

60X60
24”X24”

Special pieces



30x30 *mosaic 36T*
12”x12”

26x28 *mosaic Hex.14T*
10”x11”



Wall Tile: VAGLI WHITE 31.6X90 / QUARTZ WHITE 31.6X90 / QUARTZ DIAMOND WHITE & SILVER 31.6X90
Floor Tile: VAGLI-P WHITE 60X120

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
90x90	m²	1	0,81	20,00	44	35,64	900,00	12
60x120	m²	2	1,4328	33,60	30	42,98	1028,00	12
60x60	m²	3	1,08	25	36	38,88	920	24
30x30 *mosaic 36T*	pz	6	0,54	8,20	81	43,74	684,20	-
26x28 *mosaic 14T Hex.*	pz	6	0,4368	7,00	60	26,21	440,00	-

Wall Tile: VAGLI WHITE 31.6X90
Floor Tile: VAGLI-P WHITE 90X90

VAGLI WHITE

32x90 cm / 13”x36”

WALL TILE

RECTIFIED AND BEVEL

V2 Slight Variation

GLOSSY


WHITE BODY



Wall Tile: VAGLI DUNE WHITE 31.6X90
Floor Tile: FOREST WALNUT 20X120



VAGLI WHITE
31.6x90CM - 13”x36”



VAGLI DUNE WHITE
31.6x90CM - 13”x36”



DETAIL VAGLI DUNE

SIZE	UM	pc/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	FACES
31.6x90	m²	4	1,1376	18,58	48	54,60	911,84	18

TECHNICAL SPECS

FITTING RECOMMENDATIONS

You should always read the manufacturer's recommendations and the data sheets for all of the products and materials you use. It is important to have qualified professional tilers carry out the work to ensure each project is performed with the necessary quality and best end result in terms of technical features and appearance.

Select the right type of tile for the project based on the technical and functional requirements of the surface to be tiled. The manufacturer states what each tile is intended to be used for based on its characteristics. Take the following into account when selecting the tile: mechanical requirements, slip resistance, frost resistance, chemical resistance and dimensional characteristics.

It is important to choose the right tile based on different factors related to its use and purpose: whether it is to be used on floors or walls, indoors or outdoors, for residential or public use, as well as any other additional requirements or adverse environmental conditions.

After you have selected the right tile for each project, examine the base it will be fitted to and select the adhesive and grout. All of these criteria together will determine the most appropriate tiling technique for each project.

It is very important to adhere to adequate setting times and to allow enough time for the surfaces to cure so they can properly bear the loads and prevent possible stress and structural movement that could be transmitted to the outer layers.

INSTALLATION JOINTS.
A physical separation between adjoining tiles required to offset sizing deviations in ceramic tiles and to absorb stress and disperse vapour from strata beneath. All ceramic tiling must be designed with installation joints suited to the characteristics of the tiles.

AESTHETIC CLASSIFICATION

V2 SLIGHT VARIATION

V3 MODERATE VARIATION

ICONOGRAPHY

GLOSSY

MATT

POLISHED

SOFT - MATT

PORCELAIN TILE

WALL TILE

MULTI PURPOSE

RECTIFIED AND BEVEL

WHITE BODY

TECHNICAL SHEET

Highly interesting: Technical specifications are only valid for those products classified as first choice.

			PORCELAIN BIa			WHITE BODY BIII
			POLISHED	MATT	MATT-SOFT	GLOSSY
Body Technical Specifications		TEST METHOD	Standard Value	Standard Value	Standard Value	Standard Value
	Length and Width	ISO 10545-2 / ASTM C499	+/- 0.6%	+/- 0.6%	+/- 0.6%	+0.5 / -0.3
	Thickness	ISO 10545-2 / ASTM C499	+/- 5%	+/- 5%	+/- 5%	+/- 10%
	Straightness of sides	ISO 1 0545-2 / ASTM C485	+/- 0.5%	+/- 0.5%	+/- 0.5%	+/- 0.3%
	Surface Planarity	ISO 10545-2 / ASTM C485	+/- 0.5%	+/- 0.5%	+/- 0.5%	+0.5 / -0.3
	Squareness/Rectangularity	ISO 10545-2 / ASTM C502	+/- 0.6%	+/- 0.6%	+/- 0.6%	+/- 0.5%
	Water Absorption	ISO 10545-3 / ASTM C373	E ≤ 0.5%	E ≤ 0.5%	E ≤ 0.5%	E > 10%
	Bending Strength	ISO 10545-4 / ASTM C648	S ≥ 1300 N	S ≥ 1300 N	S ≥ 1300 N	S ≥ 600N
	Modulus of Rupture	ISO 10545-4 / ASTM C482	R≥35N/mm²	R≥35N/mm²	R≥35N/mm²	R ≥15N/mm²
	Frost Resistance	ISO 10545-12 / ASTM C1026	RESIST	RESIST	RESIST	NO RESIST
	Linear Thermal Expansion Coefficient	ISO 10545-8 / ASTM C372	9*10-6K-1 max	9*10-6K-1 max		9*10-6K-1 max
	Thermal Shock Resistance	ISO 10545-9	RESIST	RESIST	RESIST	RESIST
Technical Specifications of Surface		TEST METHOD	Standard Value	Standard Value	Standard Value	Standard Value
	Slipperiness	UNE-ENV-12633	Class 0	Class 1	Class 0	-
		AINSI A137.1:2012	0.22W	0.45W	R9	-
	Surface Abrasion Resistance	ISO 10545-7	II - IV	III - IV	IV	-
	Surface Hardness (MOHS Scale)	UNE 67-101	3 - 4	4 - 5	4	3
	Acids and Alkalis Resistance	ISO 10545-13 / ASTM C650	GLB / GLB	GLA / GLA	GLB / GLB	GLA / GLA
	Staining Resistance	ISO 10545-14 / ASTM C650	5	5	5	5
	Surface Quality	ISO 10545-2	≥95% OK min	≥95% OK min	≥95% OK min	≥95% OK min

Kerlife Grupo

www.kerlifegrupo.com
Ctra.Onda-Villarreal km. 2
12200 Onda (Castellón) Spain
Tel. +34 964 104 140
grupokerlife@kerlife.com