SMALL TILES

Collection



Kerlife Grupo

CONTENTS
INDEX

CEMENT	4
LEAF	6
MALLORCA	8
MEDITERRANEO	10
METRO	12
TECHNICAL SPECS	16


Kerlife CERAMICAS

CEMENT

20x20 cm / 8”x8”

FLOOR TILE · WALL TILE · MATT · ANTISLIP R10 · FROST RESISTENCE · UNIFORM APPEARANCE · PORCELAIN TILE **IN-OUT**

White M · Black M · Pearl M · Navy M · Star Black M · Star Pearl M · Grace Black M · Sun Navy M






Wall Tiles: Mallorca-M Black 7,5x30 cm (2,9”x11,8”)
Floor Tiles: Cement-M Black & White 20x20 cm (8”x8”)

Wall Tiles: Cement-M Navy 20x20 cm (8”x8”) / Metro White 7,5x30 cm (2,9”x11,8”)
Floor Tiles: Cement-M Sun Navy 20x20 cm (8”x8”)

LEAF PVD METALIC APPLICATION

15x15 cm / 5,9”x5,9”

WALL TILE · MATT · GLOSS · RELIEF · UNIFORM APPEARANCE · WHITE BODY · DELICATE · PVD METALIC APPLICATION







Wall Tiles: Leaf-M Gold 15x15 cm (5,9”x 5,9”) / Mallorca-M Black 7,5x30 cm (2,9”x11,8”)

Wall Tiles: Wall Tiles: Leaf Silver 15x15 cm (5,9”x 5,9”) / Metro White 7,5x30 cm (2,9”x11,8”)

MALLORCA PVD METALIC APPLICATION

7,5x30 cm / 2,9”x11,8”

WALL TILE · MATT · GLOSS · RELIEF · UNIFORM APPEARANCE · MODERATE APPEARANCE · WHITE BODY · DELICATE · PVD METALIC APPLICATION

			Black						Boreal M				Silver			
					White									Silver M		
										Nacar M						
			Black M										Gold M			
					White M						Gold					






Wall Tiles: Mallorca Black & White 7,5x30 cm (2,9”x11,8”)

Wall Tiles: Mallorca-M White, Black, Boreal & Nacar 7,5x30 cm (2,9”x11,8”)

MEDITERRANEO

19,8x22,8 cm / 7,8”x8,9”

FLOOR TILE · WALL TILE · MATT · ANTISLIP R10 · RELIEF · FROST RESISTENCE · UNIFORM APPEARANCE · PORCELAIN TILE **IN-OUT**





Wall Tiles: Mallorca White 7,5x30 cm (2,9”x11,8”)
Floor Tiles: Mediterraneo-M Black & White 19,8x22,8 cm (7,7”x8,9”)




Wall Tiles: Mallorca-M White 7,5x30 cm (2,9”x11,8”)
Floor Tiles: Mediterraneo-M Cotto 19,8x22,8 cm (7,7”x8,9”)

METRO PVD METALIC APPLICATION

7,5x15 cm / 2,9”x5,9”

WALL TILE · MATT · GLOSS · RELIEF · UNIFORM APPEARANCE · WHITE BODY · DELICATE · PVD METALIC APPLICATION







Wall Tiles: Metro Black 7,5x15 cm (2,9”x5,9”) & Leaf Gold 15x15 cm (5,9”x5,9”)

Wall Tiles: Metro-M Silver7,5x15 cm (2,9”x5,9”)

METRO PVD METALIC APPLICATION

7,5x30 cm / 2,9”x11,8”

WALL TILE · MATT · GLOSS · RELIEF · UNIFORM APPEARANCE · WHITE BODY · DELICATE · PVD METALIC APPLICATION

			White							Gold					
													Gold M		
						White M									
										Silver					
				Black								Silver M			





Wall Tiles: Metro Black & Gold 7,5x30 cm (2,9”x11,8”)

Wall Tiles: Metro-M Silver 7,5x30 cm (2,9”x11,8”) & Leaf-M Silver 15x15 cm (5,9”x5,9”)

TECHNICAL SPECS

Waterfall Promotion





TECHNICAL SPECS

Packing

		Box			Pallet		
Model	Size	Quantity	Sqm/ Sqf	Kg/ Lb	Quantity	Sqm/ Sqf	Kg/ Lb
Cement	20x20 cm 8”x8”	25 pcs.	1/ 10,76	22 / 48,5	45 box.	45 / 484,38	1010 / 2226,67
Leaf	15x15 cm 5,9”x5,9”	23 pcs.	0,52 / 5,6	9,1 / 20,06	90 box.	46,8 / 503,75	839 / 1849,68
Mallorca	7,5x30cm 2,9”x11,8”	25 pcs.	0,56 / 6,03	8,85 / 19,51	121 box.	67,76 / 729,39	1090,85 / 2404,91
Metalic Mallorca	7,5x30cm 2,9”x11,8”	19 pcs.	0,43 / 4,63	7 / 15,43	70 box.	30,1 / 323,99	510 / 1124,36
Mediterraneo	19,8x22,8 cm 7,7”x8,9”	24 pcs.	0,84 / 9,04	18 / 39,68	48 box.	40,32 / 434	884 / 1948,89
Metro	7,5x15 cm 2,9”x5,9”	60 pcs.	0,68 / 7,34	8,5 / 18,74	125 box.	85,23 / 917,41	1082,50 / 2386,50
Metalic Metro	7,5x15 cm 2,9”x5,9”	36 pcs.	0,40 / 4,34	5,3 / 11,68	112 box.	45,16 / 486,10	613,6 / 1352,76
Metro	7,5x30 cm 2,9”x11,8”	44 pcs.	1 / 10,76	14,21 / 31,33	125 box.	85,23 / 917,41	1082,50 / 2386,50
Metalic Metro	7,5x30 cm 2,9”x11,8”	23 pcs.	0,52/ 5,6	7 / 15,43	70 box.	36,4 / 391,8	510 / 1124,36

Iconography

WALL TILE

RELIEF

WHITE BODY

UNIFORM APPEARANCE

FLOOR TILE

ANTISLIP R10

PORCELAIN TILE **IN-OUT**

MODERATE APPEARANCE

GLOSS

DELICATE

FROST RESISTENCE

MATT

PVD METALIC APPLICATION

Technical Sheet

CEMENT

LEAF

MALLORCA

MEDITERRANEO

METRO

Fitting Recomendations

You should always read the manufacturer's recommendations and the data sheets for all of the products and materials you use. It is important to have qualified professional tilers carry out the work to ensure each project is performed with the necessary quality and best end result in terms of technical features and appearance.

Select the right type of tile for the project based on the technical and functional requirements of the surface to be tiled. The manufacturer states what each tile is intended to be used for based on its characteristics. Take the following into account when selecting the tile: mechanical requirements, slip resistance, frost resistance, chemical resistance and dimensional characteristics.

After you have selected the right tile for each project, examine the base it will be fitted to and select the adhesive and grout. All of these criteria together will determine the most appropriate tiling technique for each project.

It is very important to adhere to adequate setting times and to allow enough time for the surfaces to cure so they can properly bear the loads and prevent possible stress and structural movement that could be transmitted to the outer layers.

INSTALLATION JOINTS. A physical separation between adjoining tiles required of 1mm/0.04" to offset sizing deviations in ceramic tiles and to absorb stress and disperse vapour from strata beneath. All ceramic tiling must be designed with installation joints suited to the characteristics of the tiles.

KER LIFE CERAMICAS S.L. reserves the right to modify and/or discontinue certain models listed in this catalog without notice. Due to the printing process colors shown in this catalog should be considered approximate; they may vary slightly from the original. The total or partial reproduction of this catalog (photographs, text, illustrations, designs, graphic representations, etc.) without the express authorization of KER LIFE CERAMICAS S.L. is forbidden.

Kerlife Grupo

Ctra.Onda-Villarreal km. 2
12200 Onda (Castellón) Spain
Tel. +34 964 104 140
www.kerlifegrupo.com
kerlife@kerlife.com