

peronda

/ **NOVELTIES** FEBRUARY 2023

Pasión por el detalle

passion for detail

UNLIMITED PURPOSES
ALL IN ONE



Usos ilimitados

MISMA SUPERFICIE

El acabado All in one aúna suavidad y antideslizamiento. Ahora no hay por qué elegir, puedes tenerlo todo en un único producto.

Unlimited purposes

SAME SURFACE

All in one finish brings softness and anti slip treatment together. There is no need to choose any more. You can have it all in just one product.


MULTI TEXTURE SURFACE
LAYER TECH



Última tecnología de decoración cerámica, que permite crear texturas en diferentes capas de la superficie de manera digital.

The latest in tile printing technology. With it, textures can be created on different surface layers in a digital way.

REAL PRECISION BY PERONDA
SHAPED



Relieves creados de manera digital perfectamente coordinados con la impresión gráfica para generar las piezas más naturales nunca vistas en cerámica

Reliefs are created via digital technology perfectly coordinated with graphic printing to generate the most natural pieces ever seen in ceramic.

EXTRAORDINARY RESISTANCE
20 MM



Porcelánico espesorado realizado con la última tecnología en producción cerámica. Todos los beneficios de 4D Tech al servicio del producto más robusto de Peronda.

20 mm thick porcelain made with the latest technology in ceramic production. All the benefits of 4D Tech at the service of Peronda's most robust product.



PORCELAIN & WALL TILES

Cluny

La colección toma el nombre Cluny porque, como la famosa ciudad, se trata de una piedra originaria de la Borgoña francesa. El estilo se puede reconocer por la distribución de restos fósiles en la superficie, dispersos de manera irregular generando un movimiento de gran belleza en el espacio. El abanico cromático se centra en los tonos cálidos de intensidad suave, en línea con las tendencias actuales, ya que buscamos generar espacios calmados y sin estridencias.

Cluny is a tile collection named after the famous French city in the Burgundy region where the stone which inspires the collection can be found. Its design stands out for the fossil remains scattered randomly across the surface, lending it an eye-catching sense of movement. The collection comes in a soft warm colour spectrum in keeping with current trends, perfect for creating soothing, harmonious living spaces




CLUNY 4D ○ Cluny Silver SP_100x100



CLUNY Cluny Silver SP_100x275 · Silver SP_100x100




CLUNY Cluny White SP_100x275 · Beige SP_100x100




CLUNY ⬡ Cluny White SP_100x275



CLUNY ⬡ Cluny Sand SP_100x275 · Verbier Taupe AS



CLUNY Cluny Sand_33,3x100 · Textured Sand_33,3x100 · Cluny Beige SP_100x100



CLUNY Cluny Textured Sand_33,3x100




CLUNY WALL Cluny Decor Sand_33,3x100



CLUNY ○ Cluny Silver SP_100x275 · Silver SP_100x100 · Silver_100x100 A



CLUNY ⬡ Cluny White SP_100x275 · Sand SP_100x100 · Sand _100x100 A




CLUNY Cluny White SP_100x275 · White_100x100 A · White Rej. · Ang. Rej. · P.V. · Ang. P.V.



CLUNY Cluny Sand_100x100x2 A

CLUNY ⬡ PORCELAIN TILES





	CLUNY 4D						CLUNY FLOOR			
	100*275*0,6 cm 39*108"		100*100*0,8 cm 39*39"			100*100*2 cm 39*39"	50*100*2 cm 20*39"	60*120*1 cm 24*48"	90*90*1 cm 36*36"	90*90*1 cm 36*36"
RECTIFIED	**SHAPED 4D**		**SHAPED 4D**		**ANTISLIP 4D**		**ANTISLIP 4D 20 mm**	**ANTISLIP 4D 20 mm**	**ALL IN ONE**	**ALL IN ONE**	**SOFT**
	BN141	**BN142**	**BN135**	**BN136**	**BN144**	**BN143**	**BN145**	**BN147**	**BN116**	**BN90**	**BN48**
BEIGE	36282		36337		36341		36348	36902	36356	36354	36360
SAND	36281		36338		36343		36350	36903	36358	36353	36362
SILVER	36283		36339		36342		36349	36904	36357	36352	36361
WHITE		36280		36336		36340	36347	36905	36355	36351	36359


CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42
SOFT	-	-	-	Class 1	-


⬡ WHITE BODY WALL TILES



	CLUNY WALL		
	33,3*100*0,75 cm 13*39"	33,3*100*0,75 cm 13*39"	33,3*100*0,86 cm 13*39"
RECTIFIED	**NATURAL**	**TEXTURED NATURAL**	**DECOR NATURAL**
	BN65	**BN65**	**BN66**
SAND	36365	36368	36369
SILVER	36366	36370	36371
WHITE	36363	36364	36367

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V2	





FS

El diseñador e interiorista de mobiliario vintage, Franciso Segarra, continúa colaborando con Peronda Cerámicas a través del desarrollo de nuevos productos para la colección 'FS by Peronda'.

The designer and interior architect for vintage furniture, Franciso Segarra, continues to collaborate with Peronda Ceramicas through the development of new products for the 'FS by Peronda' collection.

FS STAR ⬡ FS Star Night



FS STAR ⬡ FS Star Sky · FS Wild

FS STAR ⬡ SINGLE FIRED FLOOR TILE




FS STAR Night



FS STAR Sky

FS STAR



10 patterns

45 * 45 * 1,05 cm | 18 * 18"

NO RECTIFIED	NATURAL
	BN14
NIGHT	28146
SKY	28147

FS STAR ARA Black



FS STAR N



FS STAR White



FS STAR Sage



FS STAR Blue



FS STAR Oxide



CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS


joint	versatile	matt	different shades	shade variation	various graphics
0.5 mm				V2	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
NATURAL	R9	-	+36 Wet	Class 1	> 0,42



FS ROCKSTAR ⬡ PORCELAIN TILE




FS ROCKSTAR N AS



FS ROCK AS

unlimited purposes — all in one

FS ROCKSTAR



10 patterns

45,2 * 45,2 * 1 cm | 18 * 18”

RECTIFIED	ALL IN ONE BN149
FS ROCKSTAR-N AS	36379
FS ROCK AS	36381

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	different shades	shade variation	various graphics
0,5 mm				V2	

ANTIDESLIZAMIENTO | ANTI-SLIP


FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42


FS ROAD
FS Road Moon



FS ROAD
FS Road Mars



FS ROAD
PORCELAIN TILE



FS ROAD Mars AS



FS ROAD Moon AS

FS ROAD

10 patterns

90 * 90 * 1 cm | 36 * 36”

RECTIFIED	ALL IN ONE BN150
MARS AS	36372
MOON AS	36373

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	diferent shades	shade variation	various graphics
0.5 mm		■		V2	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42



FS FIELD ⬡ FS Field Blue



FS FIELD ⬡ FS Field Black



FS FIELD LT ⬡ PORCELAIN TILE



FS FIELD LT Black LT



FS FIELD LT Blue LT




FS FIELD LT Brown LT

unlimited purposes – all in one

multi texture surface – LAYER TECH

FS FIELD LT



10 patterns

45,2 * 45,2 * 1 cm | 18 * 18”

RECTIFIED	LAYER TECH ALL IN ONE
	BN151
BLACK LT	36382
BLUE LT	36383
BROWN LT	36384

Matching product.
45,2x45,2 cm | 18x18”



FS ROCK AS

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	diferent shades	shade variation	various graphics
0.5 mm				V2	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE / LAYER TECH	R11	A+B+C	+36 Wet	Class 3	> 0,42

FS WILD ⬡ FS Wild · FS Rockstar

FS WILD ⬡ PORCELAIN TILE

unlimited purposes · all in one

FS WILD AS



FS WILD

30 patterns

19,5 * 121,5 * 1 cm | 8 * 48”

RECTIFIED	ALL IN ONE
	BN152
FS WILD AS	36330




CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	different shades	shade variation	various graphics
0,5 mm				V4	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42



PORCELAIN & WALL TILES

Cersaie 2022



MANHATTAN ◯ Manhattan Silver SP_100x275 · Silver SP_100x100




MANHATTAN ◯ Manhattan Bone SP_100x100 · Bone SP_33,3x100
Bone Lines SP_33,3x100



MANHATTAN ◯ Manhattan Bone Wavy SP_33,3x100 · Bone SP_100x100

MANHATTAN ⬡ PORCELAIN TILES



	MANHATTAN 4D						MANHATTAN FLOOR		
	100*275*0,6 cm 39*108"		100*100*0,8 cm 39*39"			100*100*2 cm 39*39"	50*100*2 cm 20*39"	60*120*1 cm 24*48"	90*90*1 cm 36*36"	60*60*1 cm 24*24"
RECTIFIED	**SHAPED 4D**		**SHAPED 4D**		**ANTISLIP 4D**		**ANTISLIP 4D 20 mm**	**ANTISLIP 4D 20 mm**	**ALL IN ONE**	**ALL IN ONE**	**ALL IN ONE**
	BN141	**BN142**	**BN135**	**BN136**	**BN144**	**BN143**	**BN145**	**BN147**	**BN116**	**BN90**	**BN88**
BONE	34685		34737		34738		36333	36911	34745	34747	34750
GREY	34880		34735		34740		36334	36908	34742	34746	34749
SILVER	34686		34736		34739		36335	36909	34744	34748	34751
WHITE		34687		34876		34877	36332	36910	34782	34874	34873


CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42

⬡ WHITE BODY WALL TILES



	MANHATTAN WALL		
	33,3*100*0,75 cm 13*39"	33,3*100*0,86 cm 13*39"	33,3*100*0,86 cm 13*39"
RECTIFIED	**SHAPED**	**WAVY_SHAPED**	**LINES_SHAPED**
	BN8	**BN10**	**BN10**
BONE	34752	34758	34757
SILVER	34753	34756	34755
WHITE	34754	34760	34759

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V2	







GRANIER PORCELAIN TILES

unlimited purposes all in one

24 * 151 * 1
36 patterns

19,5 * 121,5 * 1
48 patterns

	24*151*1 cm 24*48"	19,5*121,5*1 cm 8*48"
RECTIFIED	**ALL IN ONE**	**ALL IN ONE**
	BN121	**BN95**
ASH	34641	34764
HONEY	34637	34765
MAPLE	34639	34766
NATURAL	34638	34767
TAUPE	34640	34768

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V3	

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42











GRANIER WHITE BODY WALL TILES

SHAPED TECH

DECOR

7 patterns

	33,3*100*0,86 cm 13*39"
RECTIFIED	**DECOR_SHAPED**
	BN10
HONEY	34773
NATURAL	34772
TAUPE	34774

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V3	









GHENT ⬡ Ghent White A_100x100x2 · Bone SP_100x100 · White SP_100x275




GHENT ⬡ Ghent Beige A_50x100x2 · Beige A_100x100x2 · Beige SP_100x275
Beige P.V. · Ang. P.V · Rej. · Ang.rej.



GHENT ⬡ Ghent Beige SP_100x275 · Ghent White SP 100x100

GHENT ⬡ PORCELAIN TILES

GHENT 4D




GHENT 4D	100*275*0,6 cm 39*108"		100*180*0,8 cm 39*71"		100*100*0,8 cm 39*39"				100*100*2 cm 39*39"	50*100*2 cm 20*39"	101,5*101,5*2 cm 39*39"	
RECTIFIED	SHAPED		SHAPED		SHAPED		ANTISLIP		ANTISLIP 20 mm	ANTISLIP 20 mm	NO RECTIFIED	ANTISLIP 20 mm
	BN141	BN142	BN137	BN138	BN135	BN136	BN144	BN143	BN145	BN147		BN148
BEIGE	35597		33200		31747		33948		34878	35567	BEIGE	35791
GREY	35598		33202		31749		33947		34734	35568	GREY	35793
SILVER	35599		33201		31748		33946		34733	35569	SILVER	35792
WHITE		35600		33203		31746		33945	34732	35570	WHITE	35794

GHENT FLOOR



GHENT FLOOR	60*120*1 cm 24*48"	90*90*1 cm 36*36"	60*60*1 cm 24*24"
RECTIFIED	ALL IN ONE	ALL IN ONE	NATURAL
	BN116	BN90	BN33
BEIGE	31753	31891	31755
GREY	31751	31892	31756
SILVER	31752	31893	31757
WHITE	31750	31894	31754

PIEZAS ESPECIALES | SPECIAL PIECES



GHENT FLOOR	30*30*1 cm 12*12"	30*30*1 cm 12*12"
RECTIFIED	MOSAIC 16T ALL IN ONE	MOSAIC 12T ALL IN ONE
	P36	P36
BEIGE	32099	32103
GREY	32100	32104
SILVER	32101	32105
WHITE	32102	32106

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42
NATURAL	R10	A+B	+36 Wet	Class 2	> 0,42

WHITE BODY WALL TILES

GHENT WALL



GHENT WALL	33,3*100*0,75 cm 13*39"	33,3*100*0,86 cm 13*39"
RECTIFIED	SHAPED	DECOR_SHAPED
	BN8	BN10
BEIGE	31860	31863
SILVER	31862	31864
WHITE	31861	31865

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	different shades	shade variation	various graphics








GROUND Ground Bone SP_100x100 · Bone_33,3x100 · Bone Decor_33,3x100




GROUND Ground Bone_33,3x100 · Bone SP_100x100




GROUND Ground Silver_33,3x100 · Silver SP_100x100


GROUND PORCELAIN TILES


GROUND 4D






GROUND FLOOR









GROUND 4D		GROUND FLOOR					
100*275*0,6 cm 39*108”	100*100*0,6 cm 39*39”	90*90*1 cm 36*36”			45*90*1 cm 18*36”	29*90*1 cm 12*36”	
RECTIFIED	SHAPED	SHAPED	SOFT	LAPATTO	ANTISLIP	SOFT	SOFT	LAPATTO
	BN141	BN135	BN48	BN42	BN90	BN70	BN114	BN115
BONE	35904	32889	24944	27134	24973	24930	24920	27119
GREY	35906	32890	24792	27135	24974	24931	24921	27120
SILVER	35905	32888	24790	27136	24975	24932	24922	27121

GROUND FLOOR

PIEZAS ESPECIALES | SPECIAL PIECES













GROUND FLOOR						GROUND FLOOR			GROUND FLOOR			
	60*60*1 cm 24*24”			9,9*60* 1 cm 4*24”			30*30*1 cm 12*12”	30*30*1 cm 12*12”		60*60*1 cm 24*24”		30*30*1 cm 12*12”
RECT.	SOFT	LAPATTO	ANTISLIP	SOFT	LAPATTO	RECT.	SOFT	SOFT	RECT.	SOFT	LAPATTO	MOSAIC SOFT
	BN33	BN38	BN88	BN97	BN98		P37	P58		BN40	BN83	P37
BONE	24936	27128	24979	24941	27131	BONE	23435	23505	WARM	24953	27137	23441
GREY	24937	27130	24980	24942	27133	GREY	23438	23506	COLD	24952	27138	23442
SILVER	24938	27129	24981	24943	27132	SILVER	23439	23507				

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm			■			V1	


ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
SOFT	R10	A+B	+36 Wet	Class 2	> 0,42
LAPATTO	R9	-	+36 Wet	Class 2	> 0,42
ANTISLIP	R12	A+B+C	+36 Wet	Class 3	> 0,42

WHITE BODY WALL TILES

GROUND WALL






GROUND WALL		
	33,3*100*0,75 cm 13*39”	33,3*100*0,86 cm 13*39”
RECTIFIED	NATURAL	DECOR_NATURAL
	BN65	BN66
BONE	34761	34813
SILVER	34762	34815
WHITE	34763	34814

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm		■		V1	



FS FOREST ⬡ SINGLE FIRED FLOOR TILE



FS FOREST natural



FS FOREST mix




FS FOREST plank



FS FOREST black




FS FOREST white



45 * 45 * 1,05 cm | 18 * 18”

NO RECTIFIED	NATURAL
	BN14
FS FOREST BLACK	34443
FS FOREST NATURAL	34444
FS FOREST NATURAL MIX	34445
FS FOREST WHITE	34442



7,3 * 45 * 1,05 cm | 2,9 * 18”

NO RECTIFIED	NATURAL
	BN146
FS FOREST PLANK	34881

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
NATURAL	-	-	Class 1	-



FS LOFT ⬡ WHITE BODY WALL TILES


FS LOFT white



FS LOFT black



FS LOFT clay



20 * 40 * 1,03 cm | 8 * 16”

NO RECTIFIED	DEEP TECH
	BN18
FS LOFT BLACK	34450
FS LOFT CLAY	34451
FS LOFT WHITE	34449


FS IRON ⬡ WHITE BODY WALL TILES



FS IRON white LT



FS IRON oxide LT



20 * 40 * 1,03 cm | 8 * 16”

NO RECTIFIED	LAYER TECH DEEP TECH
	BN18
FS IRON OXIDE LT	34446
FS IRON WHITE LT	34447


FS JAIPUR ⬡ SINGLE FIRED FLOOR TILE



FS JAIPUR white LT



FS JAIPUR black LT



45 * 45 * 1,05 cm | 18 * 18”

NO RECTIFIED	LAYER TECH
	BN17
FS JAIPUR BLACK LT	34438
FS JAIPUR WHITE LT	34439


ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
LAYER TECH	R10	+36 Wet	Class 1	> 0,42

Technical information

Pieza complementaria | Complementary piece


PL. /18
Peldaño técnico -
Technical stair - thread



30*100 cm | 12*39” P74

30*151 cm | 12*59” P80
30*90 cm | 12*36” P76
30*60 cm | 12*24” P54
30*120 cm | 12*48” P75


PT.
Peldaño técnico -
Technical stair - thread



30*100 cm | 12*39” P74
A = 0,6 cm B = 1,8 cm
A = 0,8 cm B = 2,4 cm

30*151 cm | 12*59” P80
30*90 cm | 12*36” P76
30*60 cm | 12*24” P54
30*120 cm | 12*48” P75
A = 1 cm B = 3 cm


PR.
Peldaño Romo
Rounded stair - thread



30*100 cm | 12*39” P85

30*151 cm | 12*59” P54
30*90 cm | 12*36” P61
30*60 cm | 12*24” P64
30*120 cm | 12*48” P77

R.
Rodapie - Skirting




8*100 cm | 3*39” P45
8*60 cm | 3*24” P34
8*90 cm | 3*36” P44
8*60 cm | 3*24” P34

S.K.I. **S.K.D.** **Z.R.I.** **Z.R.D.**



8*30 cm | 3 * 12” P55
8*30 cm | 3*12” P55


AF.
Alféizar - Windowsill



25*90 cm | 10*36” P77
25*120 cm | 10*48” P54


PIEZA ESPECIAL PISCINA | SPECIAL PIECE POOL

P.V.
Peldaño Vierteagua
Pool Coping



20*60 cm | 8*24” P61
20*90 cm | 8*36” P81
20*100 cm | 8*39” P82

ANG.P.V.
Peldaño vierteagua angulo
Pool Coping internal corner




20*60 cm | 8*24” P70 (PACK 2 units)
20*90 cm | 8*36” P75 (PACK 2 units)
20*100 cm | 8*39” P80 (PACK 2 units)

E.P.V.
Peldaño vierteagua esquina
Pool Coping external corner




20*60 cm | 8*24” P70 (PACK 2 units)
20*90 cm | 8*36” P75 (PACK 2 units)
20*100 cm | 8*39” P80 (PACK 2 units)

REJ.
Rejilla
Drainage grate




15*60*2,2 cm | 6*24” P54
15*90*2,2 cm | 6*36” P76



15*50*1,6 cm | 6*20” P87

ANG.REJ.
Angulo rejilla | Angle corner
drainage grate



15*60*2 cm | 6*24” P75 (PACK 2 units)
15*90*2 cm | 6*36” P57 (PACK 2 units)



15*50*1,6 cm | 6*20” P74 (PACK 2 units)

T.REJ.
Taco rejilla | Square
corner drainage grate



15*15*2,2 cm | 6*6” P85



15*15*1,6 cm | 6*6” P66


Embalaje | Packing

PLACA | SLAB

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción.
Weights shown here may slightly vary depending on the production lot.)

1 PLACA | SLAB			CAJÓN MADERA | WOODEN CRATE			CONT./20' 25000 KG.			CONT./40' 25000 KG.		
cm	**m²**	**kg**	**Placas**	**m²**	**kg**	**Cajones**	**m²**	**kg**	**Cajones**	**m²**	**kg**
100 * 275 * 0,6	2,75	38,5	20	55	869	24	1320	20856	29	1595	25201
inch	**ft²**	**lb**	**Slabs**	**ft²**	**lb**	**Crates**	**ft²**	**lb**	**Crates**	**ft²**	**lb**
39 3/8 * 108 1/4 * 1/4	29,6	84,88	20	592	1916	24	14208,4	45980	29	17168,4	55558,7


CAJÓN DE MADERA | WOODEN CRATE



Tamaño aprox. cm.
291 * 112 * 33 cm
Approx. inch. sizes
114 9/16 * 44 1/8 * 12 3/16

1 PLACA | SLAB			CABALLETE MIXTO | A-FRAME			CONT./20' 24000-25000 KG.			CONT./40' 24000-25000 KG.		
cm	**m²**	**kg**	**Placas**	**m²**	**kg**	**Caballete**	**m²**	**kg**	**Caballete**	**m²**	**kg**
100 * 275 * 0,6	2,75	38,5	40	110	1620	3	330	4860	12	1320	19440
inch	**ft²**	**lb**	**Slabs**	**ft²**	**lb**	**A-frame**	**ft²**	**lb**	**A-frame**	**ft²**	**lb**
39 3/8 * 108 1/4 * 1/4	29,6	84,88	40	1184	3571,5	3	3552,09	10714,47	12	14208,4	42857,9

A-FRAME | CABALLETE MIXTO (metal-madera | metal-wood)



Tamaño aprox. cm.
290 * 75 * 152 cm
Approx. inch. sizes
114 1/8 * 29 1/2 * 59 7/8"

Accede al código QR y visualiza el manual técnico de colocación de gran formato.
Enter with the QR code and view the technical manual for laying slabs.

PAVIMENTO Y REVESTIMIENTO | FLOOR AND WALL TILES

Formato | Sizes	Cajas | Boxes			Pallet (P)				Cont./20' 21500 kg.	Cont./20' 24000 kg.
cm	**Piezas**	**m²**	**kg**	**Cajas**	**m²**	**kg**	**Tamaño aprox. cm**	**m²**	**m²**
100 * 180 * 0,6	2	3,6	52,92	24	86,40	1320,08	190 * 115 * 60	1407,19	1570,81
100 * 180 * 0,8	2	3,6	70,25	20	72	1467,52	190 * 115 * 60	1054,84	1177,5
100 * 100 * 0,6	2	2	27,8	24	48	709,2	112 * 112 * 61	1440 **m² (30 P)**	21276 **kg (30 P)**
100 * 100 * 0,8	2	2	37	32	64	1226	112 * 112 * 100	1122,35	1252,85
100 * 100 * 2	1	1	49,20	24	24	1223	112 * 112 * 85	-	456 **m² (19 P)**
50 * 100 * 2	1	0,5	24,7	48	24	1227,6	112 * 112 * 85	420	469
90 * 90 * 1	2	1,62	37,96	22	35,64	860	105 * 95 * 75	891	994
60 * 120 * 1	2	1,44	33,18	27	38,88	920	120 * 80 * 75	908,61	1014,26
60 * 60 * 1	3	1,08	24,3	40	43,2	996	120 * 80 * 75	933	1041
45 * 90 * 1	2	0,81	19,08	36	29,16	699	100 * 100 * 59	896,91	1001,2
29 * 90 * 1	3	0,78	20	54	42,12	1105	105 * 95 * 75	819,53	914,82
9,9 * 60 * 1	13	0,77	16,45	64	49,28	1065	100 * 100 * 94	994,85	1110,54
24 * 151 * 1	3	1,09	24,27	48	52,32	1200	156 * 93 * 63	889 **m² (17 P)**	20399 **kg (17 P)**
20 * 40 * 1,03	12	0,96	16,29	56	53,76	936	120 * 80 * 95	1235	1378
33,3 * 100 * 0,75	6	2	24,92	24	48	640	118 * 110 * 48	1612	1800
33,3 * 100 * 0,86	5	1,67	22,45	24	40,08	581	118 * 110 * 48	1484	1656
45,2 * 45,2 * 1	5	1,02	23,7	66	67,32	1588	120 * 80 * 105	911,45	1017,43
45 * 45 * 1,05	5	1	24,14	66	66	1617	120 * 80 * 105	877	979
inch	**units**	**ft²**	**lb**	**Boxes**	**ft²**	**lb**	**Sizes Inch approx.**	**ft²**	**ft²**
70 7/8 * 39 3/8 * 5/16	2	38,75	116,64	24	930	2910,27	74 3/4 * 45 1/4 * 235/8	15146,87	16908,06
70 7/8 * 39 3/8 * 1/4	2	38,75	154,87	20	775	3207,73	74 3/4 * 45 1/4 * 235/8	11451,94	12783,54
39 3/8 * 39 3/8 * 1/4	2	21,52	61,29	24	516,66	1563,51	44 1/8 * 44 1/8 * 24	15500 **ft² (30 P)**	46905,55 **lb (30 P)**
39 3/8 * 39 3/8 * 5/16	2	21,53	81,59	32	688,90	2703,33	44 1/16 * 44 1/6 * 39 3/8	12080,97	13485,73
39 3/8 * 39 3/8 * 3/4	1	10,76	108,46	24	258,33	2696,25	44 1/16 * 44 1/6 * 33 7/16	-	4908,34 **m² (19 P)**
19 11/16 * 39 3/8 * 3/4	1	5,38	54,45	48	258,33	2706,39	44 1/16 * 44 1/6 * 33 7/16	4520,84	5048,27
35 7/16 * 35 7/16 * 3/8	2	17,44	83,69	22	383,63	1896	41 5/6 * 37 3/8 * 29 1/2	9590,64	10699,3
23 5/8 * 47 1/4 * 3/8	2	15,50	73,15	27	418,50	2027,92	47 1/4 * 31 1/2 * 29 1/2	9781,75	10919,17
23 5/8 * 23 5/8 * 3/8	3	11,63	53,57	40	465	2195,8	47 1/4 * 31 1/2 * 29 1/2	10042,7	11205,23
17 11/16 * 35 7/16 * 3/8	2	8,72	42,07	36	313,88	1541,3	41 5/16 * 31 1/2 * 41 5/16	9654,34	10776,94
11 7/16 * 35 7/16 * 3/8	3	8,4	44,09	54	453,38	2436,53	41 5/16 * 37 3/8 * 29 1 /2	8821,41	9847,16
3 7/8 * 23 5/8 * 3/8	13	8,29	36,27	64	530,45	2348,33	39 3/8 * 39 3/8 * 37	10708,61	11953,8
9 7/16 * 59 7/16 * 7/16	3	11,73	52,9	48	563,16	2645,54	61 7/16 * 36 5/8 * 24 13/16	9569,12 **ft2 (17 P)**	44972,1 **lb (17 P)**
7 7/8 * 15 3/4 * 7/16	12	10,3	35,9	56	578,66	2063,53	47 1/4 * 31 1/2 * 37 3/8	13293,43	14835,67
13 1/8 * 39 3/8 * 1/4	6	21,53	54,93	24	516,67	1410,96	46 7/16 * 43 5/16 * 18 7/8	17351,42	19375,04
13 1/8 * 39 3/8 * 5/16	5	17,98	49,49	24	431,42	1280,89	46 7/16 * 43 5/16 * 18 7/8	15973,64	17825,04
17 13/16 * 17 13/16 * 3/8	5	10,98	52,26	66	724,63	3501,54	47 1/4 * 31 1/2 * 41 5/16	9810,83	10951,62
17 11/16 * 17 11/16 * 7/16	5	10,76	53,21	66	710,42	3564,87	47 1/4 * 31 1/2 * 41 5/16	9739,95	10537,9

peronda

Papel fabricado con fibras provenientes de bosques gestionados de forma responsable y certificado con la Etiqueta Ecológica Europea. **Paper made from fibers from responsibly managed forest and certified with the European eco-label.**




Las baldosas cerámicas una vez que llegan al final de su vida útil son un residuo inerte, que para su correcta gestión debe ser entregado a un gestor autorizado de residuos, favoreciendo su reciclado. **Once ceramic tiles reach the end of their useful life, they are inert waste. For their proper management, they should be given to an authorized waste management body for recycling purposes.**

Debido a los procesos de impresión, los colores que aparecen en este catálogo deben considerarse aproximados, y no exactos. **All colours and hues appearing in this catalogue should be considered approximate, only in view of the printing processes involved.**

Los derechos de todos los contenidos (textos, fotografías, dibujos, diseños etc) del presente catálogo son propiedad de PERONDA GROUP, S.A. (o en su defecto, cuentan con los correspondientes permisos y autorizaciones de sus titulares). No está permitida la reproducción total o parcial de esta publicación, ni su tratamiento informático, ni la transmisión de ninguna forma o por cualquier medio, ya sea electrónico, mecánico, por fotocopia, por registro u otros medios, sin el permiso previo y por escrito de los titulares del copyright. **The rights of all contents (texts, photographs, drawings, designs, etc.) of this catalogue remain the property of PERONDA GROUP, S.A. (or, failing that, they have the corresponding permissions and authorizations of the owners). No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright holders.**

© PERONDA GROUP 2023
Av. Manuel Escobedo, 26.
12200 Onda (Castellón) España



peronda.com

Av. Manuel Escobedo, 26 _ P.O Box 51
12200 **Onda (Castellón)** España
964 602 012 _ f. 964 600 361 _ f. exportación (+34) 964 771 162